State of North Carolina E-Procurement Service Division of Purchase and Contract Ordering Instructions for Term Contract 445A Tools, Hand, and Related Accessories

Applied Industrial Technologies - Craftsman

Steps to place your additional items order via E-Procurement:

- 1. Locate the additional item you want from the list below
- 2. Return to your eRequisition in E-Procurement
- 3. Click on "Add Items"
- 4. Click on the tab marked "Non-Catalog"
- 5. In the field titled "Full Description", type in "Tools, Hand, and Related Accessories order per Term Contract 445A" and any additional descriptive text
- 6. In the field titled "Commodity Code", click on the +, select the appropriate Commodity Code
- 7. In the field titled "Supplier", click on the +, select the appropriate vendor
- 8. In the field titled "Quantity", type in the appropriate quantity of your order
- 9. In the field titled "Unit of Measure", leave the default EACH
- 10. In the field titled "Price", type in the price of the item as listed below
- 11. Complete all other appropriate information on this page and click "Add Item"
- 12. On the View Line Items page click "Edit" to access the Edit Line Item page
- 13. On the drop down box next to "Contract?" select "Statewide"
- 14. When you select "Statewide", the "Contract ID" Field appears
- 15. Enter the Term Contract ID Number into the "Contract ID" field. Do not use spaces or dashes in the Term Contract ID Number. Your Term Contract Number should be entered as follows: "445A"
- 16. Click "OK"; repeat the "Edit" steps for all State Contract line items; when completed click "Next"
- 17. Complete the Shipping and Accounting screens appropriately
- 18. Continue your order placement process and submit your eRequisition

Refer to the contract for restrictions and additional information

The following Craftsman items have been awarded on this contract. Please follow instructions above to order these items. Prices are effective 9/1/2007.

| | | Net Unit | | Commodity |
|-------------|---|----------|-----|-----------|
| Part Number | Product Description | Price | UOM | Code |
| 9-3668 | Brush, Wire, Curved Handle, 13 3/4" Long | 2.96 | EA | 445-43 |
| 9-3669 | Wire Brush, 10", Shoe Handle | 3.18 | EA | 445-43 |
| | Tap Wrench, Ratchet, Adjustable "T" Handle, #12-1/2" | | | |
| 9-4064 | Capacity, 4 1/2" Length | 32.92 | EA | 445-91 |
| | Tap Wrench, Ratchet, Adjustable "T" Handle, #0-1/4" | | | |
| 9-4065 | Capacity, 3 1/2" Length | 27.03 | EA | 445-91 |
| | Inspection Mirror, Round, 2 1/4" Diameter, Telescoping | | | |
| 9-4070 | Handle extends from 10" to 14" | 9.19 | EA | 445-51 |
| 9-4097 | Inspection Mirror, 1" x 2" Oval, 8 1/2" Length | 6.58 | EA | 445-51 |
| | Inspection Mirror, Rectangular, 2 1/8" x 3 1/2", Telescoping | | | |
| 9-4098 | Handle Extends from 11 1/4" to 15 1/4" | 8.77 | EA | 445-51 |
| | Inspection Mirror, Round, 1 1/4" Diameter, Telescoping | | | |
| 9-4099 | Handle extends from 5 3/4" to 25 3/4" | 8.77 | EA | 445-51 |
| | Screwdriver Set, Precision, 6 Piece, .040", .055", .070", .100" | | | |
| 9-4107 | Slotted and #0 Phillips, Knurled Handle, Storage Case | 6.86 | EA | 445-82 |
| 9-4118 | Screwdriver, Phillips, Size #2, 1 1/2" Shank Length | 2.79 | EA | 445-64 |
| | Magnetic Pick Up Tool, Telescoping, Handle Extends from 16 | | | |
| 9-4132 | 3/4" to 26 3/4" | 7.67 | EA | 445-29 |
| 9-4151 | Screwdriver, Slotted, 1/4" Tip, 1 1/2" Shank Length | 2.96 | EA | 445-64 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|--|-------------------|-----|-------------------|
| | Nut Driver, Set, Standard, 7 Piece, 3/16" through 1/2", Plastic | | | |
| 9-4196 | Carry Rack | 25.50 | EA | 445-82 |
| | Nut Driver, Set, Metric, 7 Piece, 5mm through 11mm, Plastic | | | |
| 9-4197 | Carry Rack | 25.50 | EA | 445-82 |
| 9-4256 | Socket, Adapter, 3/8" Drive Converts to 1/4" | 3.91 | | 445-91 |
| 9-4258 | Socket, Adapter, 3/8" Drive Converts to 1/2" | 3.30 | | 445-91 |
| 9-4271 | Socket, Adapter, 1/2" Driver, Converts to 3/4" | 5.56 | | 445-91 |
| 9-4283 | Pry Bar, 1/2" x 16" | 10.49 | | 445-38 |
| | Punch and Alignment Set, 5 Piece, 4 Pin Punch, 1 Line Up | | | |
| 9-4285 | Tool, Bright Red E-Coat for High Visibility | 9.63 | EA | 445-82 |
| | Wrench, Set, Ignition, Open End, 8 Piece, 5mm through | | | |
| 9-4308 | 11mm | 13.59 | FA | 445-82 |
| 9-4319 | Cotter Key Puller, 7" Overall Length | 4.85 | | 445-64 |
| 9-4336 | Extension Bar, Flexible, 1/4" Drive, 4" Long | 6.96 | | 445-91 |
| 3-4000 | Slide Bar Handle, 1/4" Drive, Use as "T" or "L" Handle, 4 | 0.00 | | 4-0-01 |
| 9-4354 | 1/2" Long | 7.35 | FΔ | 445-91 |
| 9-4355 | Driver, Flex, Plastic Handle, 1/4" Drive, 4" Long | 8.36 | | 445-06 |
| 9-4300 | Wrench Set, Crowfoot, Standard, 10 Piece, 3/8" Drive, 3/8" | 0.30 | EA | 445-06 |
| 0 4262 | | 20.22 | | 115 90 |
| 9-4362 | through 1", Plastic Pouch | 39.22 | EA | 445-82 |
| 0 4000 | Wrench Set, Crowfoot, Metric, 10 Piece, 3/8" Drive, 10mm | 00.00 | | 445.00 |
| 9-4363 | through 19mm, Plastic Pouch | 39.22 | | 445-82 |
| 9-4376 | Wrench, Obstruction, Standard, 9/16" x 5/8", 12 Point | 16.01 | EA | 445-91 |
| | Slide Bar Handle, 3/8" Drive, 7" Long, Used as a "T" or "L" | | | |
| 9-4428 | Handle | 9.86 | | 445-91 |
| 9-4431 | Breaker Bar, Flex T-handle, 3/4" Drive, 18" Long | 35.90 | | 445-91 |
| 9-4435 | Universal Joint, 3/8" Drive, Swings 90 Degrees | 9.80 | | 445-91 |
| 9-4440 | Extension Bar, 3/4" Drive, 5" Length | 13.79 | | 445-91 |
| 9-4441 | Extension Bar, 3/4" Drive, 8" Length | 17.19 | EA | 445-91 |
| 9-4442 | Extension Bar, 3/4" Drive, 16" Long | 24.75 | EA | 445-91 |
| | Slide Bar Handle, 3/4" Drive, 18" Long, Use as "T" or "L" | | | |
| 9-4443 | Handle | 25.80 | EA | 445-91 |
| | Wrench, Adjustable, 1/2" Capacity, 4" Length, Industrial | | | |
| 9-4450 | Finish | 9.13 | EA | 445-91 |
| | Wrench, Adjustable, 3/4" Capacity, 6" Length, Industrial | | | |
| 9-4451 | Finish | 9.27 | EA | 445-91 |
| | Wrench, Adjustable, 10" Length, 1 1/8" Capacity, Industrial | | | |
| 9-4453 | Finish | 12.43 | EA | 445-91 |
| 0 1.00 | Wrench, Adjustable, 12" Length, 1 1/4" Capacity, Industrial | | | |
| 9-4454 | Finish | 18.62 | FA | 445-91 |
| 0 1101 | Wrench, Adjustable, 15" Length, 1 1/2" Capacity, Industrial | 10.02 | | |
| 9-4455 | Finish | 32.32 | FΔ | 445-91 |
| 5-4400 | Wrench, Adjustable, 18" Length, 2 1/16" Capacity, Industrial | 02.02 | | 4-0-01 |
| 9-4456 | Finish | 49.44 | FΔ | 445-91 |
| 5-4450 | 1 111311 | 49.44 | | 445-91 |
| 9-4457 | Wrongh Adjustable 24" 2 1/2" Consoity Industrial Fisiah | 87.40 | | 445-91 |
| 9-4458 | Wrench, Adjustable, 24", 2 1/2" Capacity, Industrial Finish | | | |
| 3-4400 | Stud Remover, 1/2" Drive, 5/16" to 3/4" Capacity Wrench, Adjustable, 15/16" Capacity, 8" Length, Industrial | 22.30 | EA | 445-91 |
| 0 4450 | | 0.05 | | 145 01 |
| 9-4459 | Finish | 9.95 | EA | 445-91 |
| 0.4000 | Cylinder Surfacing Hone, 2" - 7" Range, Works with 1/4" or | | - | 4.5.00 |
| 9-4633 | 3/8" Electric Drills, Includes 220 Grit Stones | 23.45 | ЕA | 445-82 |
| | Brake Cylinder Hone, For 27/32" to 2" Cylinders, 3 240 Grit 1 | | L | |
| 9-4656 | 7/8" Long Stones Included | 10.66 | | 445-29 |
| 9-4716 | Ring Compressor, 2 1/8" to 5", Holds up to 4 Rings | 7.67 | EA | 445-52 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|---|-------------------|------------|-------------------|
| | Specialty Teel Kit & Diago, Includes: 1"v2" Inspection Mirror | | | |
| | Specialty Tool Kit, 5 Piece, Includes: 1"x2" Inspection Mirror, Magnetic Pick Up Tool, Slotted Screw Starter, Phillips/Torx® | | | |
| 9-4717 | Starter, Scribe with Straight and 90 Deg Point, Plastic Pouch | 17.55 | FΔ | 445-82 |
| 5-4717 | Starter, Scribe with Straight and 90 Deg Folint, Flastic Fouch | 17.55 | | 443-02 |
| 9-6757 | Needle File Set, 6 Piece, 5 1/2" Length, Assorted Shapes | 17.71 | EA | 445-32 |
| 28-20521 | Filter Wrench, 2 7/8"-3 1/4", Vinyl Covered Handle | 7.37 | EA | 445-91 |
| | Thermometer, Laser Directed, Non-Contact, Digital, Infrared, | | | |
| 34-50466 | Range from -58 Deg F to 1000 Deg F | 84.27 | EA | 445-35 |
| | Wire Stripper/Cutter, Professional, Up Front, Strips sizes 20 - | | | |
| 34-73574 | 32 AWG, Comfort Grips | 12.59 | EA | 445-52 |
| | Worklight Elucroscopt 15/10 Course 2 Wire Cord, Hologon | | | |
| 04 70000 | Worklight, Fluorescent, 15' 16 Gauge 3 Wire Cord, Halogen | 00 54 | - ^ | 445 00 |
| 34-73893 | Spotlight on 1 end, 13 watt Bulb on Shaft, Pistol Grip | 32.54 | EA | 445-82 |
| | Multimeter, Auto Ranging, Professional, True RMS, Built In Infrared Thermometer, Measures: AC/DC vlotage and | | | |
| | Current, resistance, frequency, cpacitance, duty cycle and | | | |
| 34-81079 | contact temperature | 105.33 | | 445-35 |
| 54-01079 | Multimeter, Digital, Auto Ranging, Measures: AC/DC Voltage | 105.55 | LA | 440-55 |
| | and Current, Resistance, Capacitance, Frequency and | | | |
| 34-82139 | Temperature (thermocouple not included) | 31.60 | FΔ | 445-35 |
| 54-02100 | Multimeter, Digital, Manual Ranging, AC/DC Voltage, Current | 01.00 | | 440-00 |
| 34-82141 | and Resistance, Uses 9V Battery (not included) | 21.06 | FA | 445-35 |
| 0102111 | Test Lead Set with Storage Pouch, Test Lead Set w/Alligator | 21.00 | L/(| 110 00 |
| 34-82399 | Clips, Probes and Leads | 16.84 | EA | 445-79 |
| 0.01000 | Flashlight, Industrial Quality, 2D Cell, Yellow Body, Water and | | | |
| 34-93104 | shock Resistant Resin Body | 8.67 | EA | 445-82 |
| | Flashlight, LED, 2AA, Water Resistant Aluminum, Assorted | | | |
| 34-93660 | Colors | 14.09 | EA | 445-43 |
| 34-93661 | Flashlight,2 AA, Aluminum, Various Colors, Waterproof | 9.75 | | 445-82 |
| | Cordless Tool Battery,18 V; For Use w/ 9-27124, 9-27127, | | | |
| 9-11034 | and 9-26928 | 91.13 | EA | 445-27 |
| | Battery Charger, Charger; 7.2 V, 9.6 V, 12 V, 14.4 V, 18 V, | | | |
| | and 24 V; For Use w/ 9-11035, 9-11034, 9-11033, 9-11031, 9- | | | |
| 9-11040 | 11030, and 9-11019 | 71.60 | EA | 445-27 |
| | Battery, 19.2V Diehard, Fits Tools: 9-11497, 9-11496, | | | |
| 9-11375 | 9-11498, 9-11499, 9-11574 | 33.66 | | 445-27 |
| 9-1166 | Screwdriver, Set, 19 Piece, 11 Slotted, 8 Phillips | 30.18 | ΕA | 445-82 |
| 0 4 4 7 4 | Screwdriver Set, Professional, 16 Piece, 6 Slotted, 4 Phillips, | 75.40 | F A | 445 00 |
| 9-1171 | 6 Torx® | 75.42 | | 445-82 |
| 9-1172 | Screwdriver, Set, 10 Piece, 5 Slotted, 5 Phillips | 21.32 | | 445-82 |
| 9-1173 | Screwdriver Set, 8 Piece, 5 Slotted, 3 Phillips Screwdriver, Set, Torx®, 6 Piece, T10, T15, T20, T25, T27, | 16.96 | EA | 445-82 |
| 9-1259 | T30 | 11.89 | | 445-82 |
| 9-1209 | Punch & Chisel Set, 19 Piece; Cold Chisel; Long Cold Chisel; | 11.09 | LA | 440-02 |
| | Center Punch; Pin Punch; Prick Punch; Line Up Tool; Punch | | | |
| 9-1338 | & Chisel Set | 78.99 | | 445-82 |
| 0 1000 | Pin Punch Set, 6 Piece, 1/16" through 1/4", Bright Red E Coat | 10.33 | | |
| 9-1345 | for High Visibility, 6 Sleeve Tool Roll | 26.03 | EA | 445-82 |
| | Socket Set, 25 Piece Twelve-Point Standard Regular & Deep | 20.00 | | |
| | with Drive Tools,25 Piece; 1/4 in Drive; 12 Point; Standard;, | | | |
| 9-1472 | Deep; Socket Wrench Set w/Drive Tools | 39.76 | EA | 445-82 |
| - · ·· - | Socket/Ratchet Set, Standard, 16 Piece, 3/8" Drive, 13 | 00110 | | |
| | sockets 1/4" through 1", Ratchet, 3" and 6" Extension Bar, | | | |
| 9-1507 | Blow Molded Case | 35.02 | EA | 445-82 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|---|-------------------|------------|-------------------|
| | Air Compressor,Portable Reciprocating Compressor; 4 gal | | | |
| 9-15214 | Pancake Tank; 2 hp; 120 Volt Single Phase; 1-Stage; 150 psi | 259.85 | FΔ | |
| 9-15214 | Socket Set, 33 Piece Six-Point Metric Regular & Deep with | 209.00 | | |
| | Drive Tools,33 Piece; 3/8 in Drive; 6 Point; Standard; Deep; | | | |
| 0 1592 | Socket Wrench Set w/Drive Tools | 68.24 | | 115 00 |
| 9-1583 | Socket, Impact, Standard, 1/2" Drive, 3/8", 6 Point, Laser | 00.24 | EA | 445-82 |
| 0 45040 | | 2.02 | F A | 145 01 |
| 9-15848 | Etched | 2.92 | EA | 445-91 |
| 0 45050 | Socket, Impact, Standard, 1/2" Drive, 1/2", 6 Point, Laser | | | 445.04 |
| 9-15850 | Etched | 2.98 | EA | 445-91 |
| | Socket, Impact, Standard, 1/2" Drive, 9/16", 6 Point, Laser | | | |
| 9-15851 | Etched | 2.98 | EA | 445-91 |
| | Socket, Impact, Standard, 1/2" Drive, 3/4", Six Point, Laser | | | |
| 9-15854 | Etched | 3.68 | EA | 445-91 |
| | Socket, Impact, Standard, 1/2" Drive, 15/16", 6 Point, Laser | | | |
| 9-15857 | Etched | 4.96 | EA | 445-91 |
| | Socket Set, Impact, 1/2" Drive, 12 Piece, Standard, 3/8" | | | |
| 9-15884 | through 1 1/16", 6 Point, Laser Etched | 66.95 | EA | 445-82 |
| | | | | |
| 9-15894 | Socket, Impact, Deep, 3/8" Drive, 1/2", 6 Point, Laser Etched | 3.05 | EA | 445-91 |
| | Socket, Impact, Deep, 3/8" Drive, 9/16", 6 Point, Laser | | | |
| 9-15895 | Etched | 3.15 | EA | 445-91 |
| | Socket, Impact, Deep, 1/2" Drive, 15/16", 6 Point, Laser | | | |
| 9-15983 | Etched | 6.70 | FA | 445-91 |
| 0 10000 | Wrench/Ratchet Set, Standard, 18 Piece, 1/2" Drive, 3/8" - 1 | 0.10 | | |
| | 1/4" Sockets, 6" Extension Bar, Teardrop Ratchet, 15" Flex T- | | | |
| 9-1599 | Handle, Blow Mold Case | 58.28 | | 445-82 |
| 9-1099 | Socket, Impact, Deep, 1/2" Drive, 9/16", 6 Point, Laser | 50.20 | | 445-02 |
| 0 15009 | Etched | F 20 | | 115 01 |
| 9-15998 | Socket, Impact, Deep, Standard, 1/2" Drive, 3/4", 6 Point, | 5.20 | EA | 445-91 |
| 0.40004 | | F 00 | F A | 445 04 |
| 9-16061 | Laser Etched | 5.66 | EA | 445-91 |
| | Wrench, Set, Combination, Standard, 10 Piece, 7/16" through | | L | |
| 9-1607 | 1", 12 Point, Roll Up Pouch | 46.27 | EA | 445-82 |
| | Socket, Impact, Deep, 1/2" Drive, 17mm, 6 Point, Laser | | | |
| 9-16078 | Etched | 6.14 | EA | 445-91 |
| | Wrench Set, Combination, Metric, 18 Piece, 7mm - 24mm, 12 | | | |
| 9-1610 | Point, Roll Up Pouch | 81.50 | EA | 445-91 |
| | Wrench Set, Combination, Standard, 10 Piece, 7/16" - 1", | | | |
| 9-1616 | Roll Up Pouch | 46.27 | EA | 445-82 |
| | Grease Gun, Air, Pistol Type, Includes 24" Hose and Grease | | | |
| 9-16215 | Fitting | 36.65 | EA | 445-80 |
| | Wrench, Set, Professional, Combination, Standard, 10 Piece, | | | |
| 9-1622 | 7/16" through 1", 12 Point, Roll Up Pouch | 97.20 | EA | 445-82 |
| | | | | Ī |
| 9-1631 | Wrench, Set, Box End, Standard, 11 Pieces, Roll Up Pouch | 70.69 | EA | 445-82 |
| 9-16386 | Dual Tire Air Chuck, 1/4" Female Thread, 6" Long | 7.99 | | 445-30 |
| - | Air Compressor, Portable Reciprocating Compressor; 15 gal | | | |
| | Horizontal Tank; 3 hp; 120 Volt Single Phase; 1-Stage; 150 | | | |
| 9-16724 | psi | 273.53 | EA | 445-30 |
| 9-18514 | Drill, Air, Right Angle, 3/8 NPT Air Inlet, 8" Length | 121.11 | | 445-30 |
| | Wrench, Impact, Air, Professional, 3/4" Square Drive, 3/8" | 121.11 | | |
| 0-18503 | NPT Air Inlet, 1200 ft.lb. Max Torque | 605 64 | | 115-01 |
| 9-18593 | | 605.61 | | 445-91 |
| 0 10010 | Square Drive Air Ratchet, 1/2" Drive Size; 150 rpm; 10-65 ft lb | 404 57 | | 445.00 |
| 9-18819 | Torque; 6 ft3/min Air Flow; 14 1/2" Length | 134.57 | | 445-30 |
| 9-18892 | Drill, Air, 1/2", 1/4" NPT Air Inlet, 500 RPM | 127.84 | ΕA | 445-27 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|---|-------------------|-----|-------------------|
| | Grinder Kit, Air, 12 Piece, 6" Length, 1/4" NPT Air Inlet, | | | |
| 9-19025 | Includes 7 Carbide Bits and Plastic Case | 174.95 | | 445-30 |
| 9-19492 | Universal Joint, Impact, 1/2" Drive | 15.16 | | 445-82 |
| 9-19494 | Socket, Adapter, Impact, 1/2" Drive to 3/8" Drive | 4.28 | | 445-82 |
| 9-19495 | Socket, Impact, Double End, 1/2" Drive, 3/4" and 13/16" | 9.80 | | 445-82 |
| 9-19496 | Extension Bar, Impact, 3/8" Drive, 3" Length | 5.18 | | 445-82 |
| 9-19497 | Extension Bar, Impact, 3/8" Drive, 6" Length | 6.55 | | 445-82 |
| 9-19498 | Impact Extension Bar, 1/2" Drive, 3" Length | 4.86 | | 445-82 |
| 9-19499 | Extension Bar, Impact, 1/2" Drive, 10" Length | 7.96 | EA | 445-82 |
| 9-19864 | Wrench, Impact, Air, 1/2" Square Drive, 1/4" NPT Air Inlet, 710 ft./lb. Max Torque | 242.24 | EA | 445-30 |
| | Hammer, Air, Impact, 1/4" NPTF Air Inlet, 2 5/8" Stroke, 3000 | | | |
| 9-19897 | Blows Per Minute | 53.82 | EA | 445-30 |
| | Wrench, Impact, Air, Professional, 1/2" Square Drive, 1/4" | | | |
| 9-19914 | NPT Air Inlet, 550ft./lb. Max Torque | 188.40 | EA | 445-91 |
| | Ratchet, Air, 3/8" Square Drive, 10" Length, 65 ft./lb. Max | | | |
| 9-19919 | Torque, 150RPM | 134.57 | | 445-30 |
| 9-19965 | Grinder, Air, 6" Pad, 1/4" NPT Air Inlet | 67.28 | | 445-80 |
| 9-200483 | Advanced Aviation Tool Set, 167 Piece | 1,181.99 | EA | 445-82 |
| 0.05500 | Drill Accessory Kit, 10 Piece, Includes 5 P2 Phillips Bits, 2 6- 8 Slotted Bits, Magnetic Insert Bit Holder, Screwguide, Flexible Shaft Bit Holder | 9.90 | | 445.00 |
| 9-25599 | Grinder, Angle, Professional, 4 1/2", Paddle Switch, Side | 9.90 | LA | 445-82 |
| 9-26437 | Handle | 78.11 | EA | 445-59 |
| 9-26825 | Wrench, Impact, Cordless, 18V, 1/2" Square Drive, 210 ft/lbs. Max Torque, Includes, 1 Batter, Charge and Case Drill, Cordless, Professional, 18V, 1/2" Keyless Chuck, | 390.60 | EA | 445-27 |
| 9-27085 | Variable Speed, 24 Position Adjustable Torque, Braking Switch, Includes: 2 Batteries, 2 Bits, Auxillary Handle, 1 Hour Charger, Case | 247.38 | EA | 445-27 |
| | Drill, Professional, 120V, 1/2" Single Sleeve Keyless Chuck, Variable Speed, Built in Level and Live Tool Indicator, Rear | | | |
| 9-27161 | Handle, Case | 146.04 | | 445-38 |
| 9-28174 | Hex Key, 3/16", Long Arm | 0.77 | | 445-82 |
| 9-28178 | Hex Key, Long Arm, Standard, 3/8" | 1.96 | | 445-82 |
| 9-28179 | Hex Key, 1/2", Long Arm | 5.49 | ΕA | 445-82 |
| 9-30308 | Pickle Fork Set, 5 Piece, Fork Sizes 11/16", 15/16 and 1 1/8", 2 handles, 1 for Hammering, 1 for Air Tool | 31.60 | | 445-82 |
| 9-31251 | File, Half Round, Bastard Cut, 10" | 7.91 | | 445-42 |
| 9-31257 | File, Bastard Cut, 10" | 8.91 | | 445-42 |
| 9-31264 | File, Mill, Bastard Cut, 10" | 5.94 | | 445-42 |
| 9-31277 | File, Half Round, Bastard Cut, 8" | 8.91 | | 445-42 |
| 9-31282 | File, Flat, Bastard Cut, 8" Length | 6.93 | | 445-42 |
| 9-31302 | File, Round, 6" Length, With Handle | 6.93 | | 445-42 |
| 9-31310 | File, Mill, 8" Length, With Handle | 6.93 | | 445-42 |
| 9-31311 | File, Half Round, Bastard Cut, 8" Half Round, w/Handle | 9.90 | | 445-42 |
| 9-31312 | File, Round, Bastard Cut, 8", w/Handle | 7.91 | EA | 445-42 |
| 9-31321 | File, Set, 3 Piece, Includes: 8" Mill, Half Round and Round, With Plastic Handle | 19.80 | EA | 445-82 |
| | File Set, Handled, 5 Piece, 8" Shoe Rasp (no handle), 7" Slim | | | |
| 9-31323 | Taper, 8" Mill, 8" Half Round, 8" Round | 34.66 | | 445-82 |
| 9-31481 | Bar Clamp, 6" | 16.26 | EA | 445-18 |
| 9-33246 | Mechanic's Tool Set,246 Piece, Inch/Metric, 152 Sockets, 8 Drive Tools, 26 Wrenches, 60 Additional Tools | 259.00 | EA | 445-82 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|--------------|--|-------------------|------------|-------------------|
| | Mechanics Tool Set, 254 Piece, 156 Sockets, 26 Wrenchs, 9 | | | |
| 9-33354 | Drive Tools, 63 Additional Tools, Blow Molded Case | 270 72 | | 115 92 |
| 9-33304 | | 279.72 | EA | 445-82 |
| | Mechanics Tool Set, 96 Pieces, 59 Sockets, 2 Wrenches, 4 | | | |
| 0.00500 | Drive Tools, 31 Additional Tools, Standard/Metric, Blow | ~~~~ | - | 445 00 |
| 9-33596 | Molded Case | 82.87 | | 445-82 |
| 9-33870 | Mechanic's Tool Set, 170 Piece, Standard/Metric | 196.15 | | 445-82 |
| 9-34083 | Mechanics Tool Set, 83 Piece | 68.65 | EA | 445-82 |
| | Socket Set, Flex, 18 Piece, 1/4" Drive, 3/16" - 9/16" and 5mm | | | |
| 9-34298 | 14mm | 96.21 | EA | 445-82 |
| | Drag Link Socket Set, 4 Piece, 1/2" Drive, 9/16", 3/4", 15/16" | | | |
| 9-34299 | and 1 3/16" | 19.23 | EA | 445-82 |
| | | | | |
| 9-34315 | Socket Set, Deep, 11 Piece, 1/2" Drive 1/2" - 1 1/8", 6 Point | 62.15 | EA | 445-82 |
| 9-34343 | Socket Set, Standard, 5 Piece, 3/8" Drive, 1/4" - 7/16", 8 Point | 10.35 | EA | 445-82 |
| | Socket, Set, Standard, 6 Piece, 1/2" Drive, 7/16" through 3/4", | | | |
| 9-34346 | 8 Point | 20.71 | EA | 445-82 |
| _ | Socket Set, Standard, 13 Piece, 1/2" Drive, 7/16" - 1 1/4", 12 | | · · | |
| 9-34384 | Point | 46.62 | FΔ | 445-82 |
| 0 0 0 0 0 0 | Socket Set, Deep, Standard, 11 Piece, 1/2" Drive, 1/2" - 1 | 40.02 | | 440 02 |
| 9-34388 | 1/8", 12 Point | 62.15 | | 445-82 |
| 9-34300 | | 02.15 | EA | 440-02 |
| | Drive Accessory Kit, 6 Piece, 1/2" Drive, Includes: 2", 3", 6" | | | |
| | and 10" Extension Bar, 15" Flex T-Handle and Speeder | | | |
| 9-34389 | Wrench | 58.84 | EA | 445-82 |
| | Drive Accessory Kit, 9 Piece, 3/8" Drive, Includes: 1 1/2", 3", | | | |
| | 6" and 10" Extension Bars, 10" Flex T-Handle, 16" Speeder | | | |
| 9-34392 | Bar, 3/8" to 1/4" Adapter, 3/8" to 1/2" Adapter | 49.03 | EA | 445-82 |
| | Socket Set, Standard, 10 Piece, 1/4" Drive, 3/16" - 9/16", 6 | | | |
| 9-34431 | Point, Plastic Organizer | 12.43 | EA | 445-82 |
| | Socket Set, Standard, 10 Piece, 1/4" Drive, 3/16" - 9/16", 12 | | | |
| 9-34432 | Point, Plastic Organizer | 16.35 | EA | 445-82 |
| | Socket Set, Metric, 10 Piece, 1/4" Drive, 5mm - 14mm, 6 | | | |
| 9-34433 | Point, Plastic Organizer | 12.43 | EA | 445-82 |
| | Socket, Set, Deep, Standard, 10 Piece, 1/4" Drive, 3/16" | | | |
| 9-34434 | through 9/16", 6 Point, Plastic Organizer | 20.71 | FΔ | 445-82 |
| 0 04404 | Socket, Deep, Set, Standard, 10 Piece, 3/16" through 9/16", | 20.71 | | 440 02 |
| 9-34435 | 12 Point | 19.23 | | 445-82 |
| 9-34433 | Socket, Set, Deep, Metric, 10 Piece, 1/4" Drive, 4mm through | 19.23 | | 445-02 |
| 0.04406 | • | 20.74 | F A | 145.00 |
| 9-34436 | 13mm, 6 Point | 20.71 | EA | 445-82 |
| 0.04407 | Socket, Set, Standard, 9 Piece, 3/8" Drive, 3/8" through 7/8", | 10.57 | - | 445 00 |
| 9-34437 | 6 Point, Plastic Organizer | 16.57 | EA | 445-82 |
| | Socket Set, Standard, 9 Piece, 3/8" Drive, 3/8" - 7/8", 12 | | L | |
| 9-34438 | Point, Plastic Organizer | 16.35 | EA | 445-82 |
| | Socket, Set, Deep, Standard, 9 Piece, 3/8" Drive, 3/8" | | | |
| 9-34439 | through 7/8", 6 Point, Plastic Organizer | 20.71 | EA | 445-82 |
| | Socket, Set, Deep, Standard, 9 Piece, 3/8" Drive, 3/8" | | | |
| 9-34440 | through 7/8", 12 Point, Plastic Organizer | 20.71 | EA | 445-82 |
| | Socket, Set, Metric, 9 Piece, 3/8" Drive, 10mm through | | | |
| 9-34441 | 18mm, 6 Point, Plastic Organizer | 16.57 | EA | 445-82 |
| | Socket Set, Metric, 9 Piece, 3/8" Drive, 10mm - 18mm, 12 | | | |
| 9-34442 | Point, Plastic Organizer | 16.35 | EA | 445-82 |
| | Socket, Set, Deep, Metric, 9 Piece, 3/8" Drive, 10mm through | 10.00 | | . 10 02 |
| 9-34443 | 19mm, 6 Point, Plastic Organizer | 20.71 | FΔ | 445-82 |
| 5-54445 | | 20.71 | | |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|--|-------------------|------------|-------------------|
| | Socket, Set, Deep, Metric, 9 Piece, 3/8" Drive, 10mm through | | | |
| 9-34444 | 19mm, 12 Point, Plastic Organizer | 20.71 | EA | 445-82 |
| | Socket, Set, Flexible, 7 Piece, Standard, 3/8" Drive, 3/8" | | | |
| 9-34445 | through 3/4", 6 Point | 48.10 | EA | 445-82 |
| | Socket, Set, Flexible, 7 Piece, Metric, 3/8" Drive, 10mm | | | |
| 9-34446 | through 19mm, 6 Point | 48.10 | EA | 445-82 |
| | Hex Bit Socket Set, Standard, 6 Piece, 3/8" Drive, Includes | | | |
| 9-34447 | 5/32" through 3/8" | 28.85 | EA | 445-82 |
| | Hex Bit Socket Set, Metric, 6 Piece, 3/8" Drive, Includes 4mm | | | |
| 9-34448 | through 10mm | 28.85 | EA | 445-82 |
| | Torx® Bit Socket Set, 7 Piece, 3 1/4" Drive Bits, 4 3/8" Drive | | | |
| 9-34449 | Bits | 38.48 | EA | 445-82 |
| | Socket, Set, Standard, 10 Piece, 1/2" Drive, 3/8" through | | | |
| 9-34450 | 15/16", 6 Point, Plastic Organizer | 25.90 | EA | 445-82 |
| | Socket, Set, 10 Piece, Standard, 1/2" Drive, 3/8" through | | | |
| 9-34451 | 15/16", 12 Point, Plastic Organizer | 25.97 | EA | 445-82 |
| | Socket, Set, Metric, 10 Piece, 1/2" Drive, 9mm through | | | |
| 9-34456 | 19mm, 6 Point, Plastic Organizer | 25.90 | EA | 445-82 |
| | Socket, Set, 10 Piece, Metric, 1/2" Drive, 9mm through | | | |
| 9-34457 | 19mm, 12 Point, Plastic Organizer | 25.97 | EA | 445-82 |
| | Socket, Set, Metric, 7 Piece, 1/2" Drive, 20mm through | | | |
| 9-34458 | 28mm, 6 Point, Plastic Organizer | 28.85 | EA | 445-82 |
| | Socket Set, Deep, Metric, 6 Piece, 1/2" Drive, 13mm through | | | |
| 9-34459 | 18mm, 6 Point, Plastic Organizer | 31.07 | ΕA | 445-82 |
| | Socket Set, Deep, Metric, 11 Piece, 1/2" Drive, 13mm - | | | |
| 9-34494 | 24mm, 12 Point | 62.15 | EA | 445-82 |
| | Socket, Set, 21 Piece, 10 Standard Sockets, 9 Standard | | | |
| 9-34496 | Deep Sockets, 2 Spark Plug Sockets, 6 Point | 38.48 | ΕA | 445-82 |
| 0.04407 | Socket, Set, 22 Piece, 9 Metric Sockets, 11 Metric Deep | 00.40 | | 445.00 |
| 9-34497 | Sockets, 2 Spark Plug Sockets, 6 Point | 38.48 | EA | 445-82 |
| | Socket Set, Standard, 27 Piece, 1/2" Drive, Includes 14 | | | |
| 0.04400 | Sockets 3/8" - 1 1/4", 11 Deep Sockets 1/2" - 1 1/8", 2 Spark | ~~~~ | | 445.00 |
| 9-34498 | Plug Sockets, 6 Point | 93.23 | EA | 445-82 |
| 0.04004 | On the traction of a contract of the second state of the second st | 0.40 | F A | 115 01 |
| 9-34634 | Socket, Standard, 3/8" Drive, 1/2", 12 Point, Laser Etched | 3.10 | EA | 445-91 |
| | Socket Set, Six-Point Standard/Metric with Drive Tools,32 | | | |
| 0.04740 | Piece; 1/4 in & 3/8 in Drive; Standard/Metric; Socket Wrench | 24.07 | F A | 445-82 |
| 9-34740 | Set w/Drive Tools Socket/Ratchet Set, 24 Piece, Standard, 1/4" Drive 6 6 Point | 31.07 | EA | 440-82 |
| | | | | |
| | Sockets, 4 6 Point Deep Sockets, 3/8" Drive 6 6 Point | | | |
| | Sockets, 4 6 Point Deep Sockets, 1 Spark Plug Socket, 3/8" Drive Ratchet, 3" Extension Bar, 3/8" to 1/4" Adapter, Blow | | | |
| 9-34820 | • • | 25 60 | | 115 92 |
| 9-34820 | Molded Case Socket/Ratchet Set, 24 Piece, Metric, 1/4" Drive 6 6 Point | 35.60 | EA | 445-82 |
| | Sockets, 4 6 Point Deep Sockets, 3/8" Drive 6 6 Point | | | |
| | • | | | |
| | Sockets, 4 6 Point Deep Sockets, 1 Spark Plug Socket, 3/8" Drive Ratchet, 3" Extension Bar, 3/8" to 1/4" Adapter, Blow | | | |
| 0-34821 | Molded Case | 25 60 | | 115-82 |
| 9-34821 | Socket Set, 6 & 12 Point Metric Regular & Deep with Drive | 35.60 | ÊA | 445-82 |
| | | | | |
| 0 24924 | Tools,79 Piece 1/2 in Drive Standard/Metric Socket Wrench | 015 04 | | 115 92 |
| 9-34824 | Set | 215.24 | EA | 445-82 |
| | Socket Set with Drive Tools, 6 & 12 Point Metric Regular & | | | |
| 0 24925 | Deep, 42 Piece; 1/2 in Drive; Standard/Metric; Regular & | 00 50 | | 145 00 |
| 9-34825 | Deep Sockets; Socket Wrench Set w/Drive Tools | 93.58 | сA | 445-82 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|---|-------------------|-----|-------------------|
| | Socket Set, Six; Eight & Twelve-Point Standard/Metric Regular & Deep with Drive Tools,123 Piece; 3/8 in Drive; | | | |
| 9-34826 | Standard/Metric; Regular; Mid Length & Deep Sockets; Socket Wrench Set w/Drive Tools | 187.17 | FΔ | 445-82 |
| 0 0 1020 | | 107.17 | 273 | 110 02 |
| | Socket Set, Six; Eight & Twelve-Point Standard Regular & | | | |
| | Deep with Drive Tools,57 Piece; 1/2 in Drive; Standard; | | | |
| 9-34842 | Regular & Deep Sockets; Socket Wrench Set w/Drive Tools | 207.20 | EA | 445-82 |
| | Socket/Ratchet Set, Metric, 19 Piece, 1/4" Drive, Includes: | | | |
| | 4mm - 14mm Sockets, 7mm - 13mm Deep Sockets, Teardrop | | | |
| | Ratchet, 3" Extension Bar, 6" Spinner Hanndle, Laser Etched, | | | |
| 9-34901 | Blow Molded Case | 29.94 | EA | 445-82 |
| | Socket/Ratchet Set, 17 Piece, Metric, 1/2" Drive, Includes | | | |
| | 10mm through 27mm, 2 Spark Plug Sockets, Teardrop | | | |
| 9-34931 | Ratchet, 3" Extension Bar, Blow Molded Case | 48.66 | EA | 445-82 |
| | | | | |
| | Wrench, Set, Professional, Combination, Standard/Metric, 26 | | | |
| 9-34951 | Piece, 1/4" - 1", 7mm - 19mm, 12 Point, Full Polish | 140.37 | EA | 445-82 |
| | | | | |
| | Wrench, Set, Professional, Combination, Standard/Metric, 20 | | | |
| 9-34956 | Piece, 3/8"- 15/16" and 10mm - 20mm, 12 Point, Full Polish | 96.21 | ΕA | 445-82 |
| | Saw, Adjustable, 12", Holds 10" to 12" Blades, Cuts in 4 | | | |
| 9-36142 | Positions | 8.91 | EA | 445-58 |
| 0 004 44 | Saw, Flush Cutting, 12", Front End Grip, Cuts in 4 Positions, | 04.70 | | 445 50 |
| 9-36144 | Quck Release Blade | 24.76 | | 445-58 |
| 9-36145 | Utility Hacksaw, Aluminum Frame | 5.94 | EA | 445-58 |
| 9-37300 | Utility Cutter, Professional, Handi-Cut®, 2 1/2" Blade Length | 16.83 | EA | 445-21 |
| 9-37301 | Utility Cutter, Professional, Handi-Cut®, 3 7/8" Blade Length | 19.80 | | 445-21 |
| 9-37301 | Handi-Cut® Utility Cutters, Set, 2 Piece, 2 1/2" and 3 7/8" | 19.00 | LA | 445-21 |
| 9-37304 | Blade Length | 29.70 | FΔ | 445-21 |
| 5-57-504 | Accu-Cut™ Professional 3-In-1 Tool, Wire Cutter, Utility | 25.10 | | 440-21 |
| 9-37310 | Cutter and Utility Knife in One | 29.70 | FΔ | 445-59 |
| 9-37341 | Rip Bar, 3/4" Hex x 17 3/4" Length | 11.88 | | 445-38 |
| 9-37342 | Pull-N-Pry Bar, Steel, 1 1/2" x 15" | 9.17 | | 445-38 |
| 9-37345 | Wrecking Bar, Steel, 1/2" x 12", Hex | 4.38 | | 445-38 |
| 9-37346 | Wrecking Bar, Steel, 3/4" Hex x 24" | 6.58 | | 445-38 |
| 9-37347 | Wrecking Bar, Steel, 3/4" Hex x 30" | 8.80 | | 445-38 |
| 9-37392 | Tape Measure, Locking, 1" x 8m/26' | 15.39 | | 445-35 |
| 9-37394 | Tape Measure, Bottom Locking, 1" x 25' | 15.39 | | 445-35 |
| 9-37395 | Tape Measure, Locking, 3/4" x 20', Ergonomic Design | 12.31 | | 445-06 |
| 9-37396 | Tape Measure, Locking, 1/2" x 12', Ergonomic Design | 9.23 | | 445-06 |
| 9-38045 | Hammer, Curved Claw, 16oz, Hickory Handle | 15.84 | | 445-38 |
| | | | | |
| | Hammer, Set, 5 Piece, 12oz Plastic Tip, 12oz Ball Pein, 16oz | | | |
| 9-38074 | Ball Pein, 24oz Ball Pein, 32oz Ball Pein, Hickory Handle | 59.42 | EA | 445-82 |
| | Hammer, Rip Claw, All Steel, 16oz, Polished Face, Air | | | |
| 9-38095 | Cushioned Slip Resistant Grip | 19.80 | EA | 445-38 |
| | Hammer, Curved Jaw, Fiberglass, 16oz, Synthetic Rubber | | | |
| 9-38126 | Grip | 17.82 | EA | 445-38 |
| - | Hammer, Curved Claw, All Steel, 16oz, Air Cushioned Slip | | | |
| 9-38127 | Resistant Grip | 19.80 | EA | 445-38 |
| | | | | |
| 9-38261 | Hammer, Double Face Engineers, 48oz, 15" Handle Length | 21.78 | EA | 445-38 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|---|-------------------|------------|-------------------|
| | Hammer, Blacksmith, 2 1/2", Beveled Face and Ends, Hickory | | | |
| 9-38262 | Handle | 19.80 | EA | 445-38 |
| | Hammer, Plastic Tip, 12oz, One Soft Red Tip, One Hard | | | |
| 9-38292 | Yellow Tip | 12.87 | EA | 445-38 |
| | Mallet, Rubber, Non-Marring, Replaceable Tip, 24oz, Hickory | | | |
| 9-38304 | Handle | 14.85 | EA | 445-38 |
| | | | | |
| 9-38309 | Hammer, Double Face Engineers, 48oz, 9" Handle Length | 19.80 | | 445-38 |
| 9-38394 | Hammer, Dead Blow, 2lbs, Industrial Grade | 29.70 | | 445-38 |
| 9-38395 | Hammer, Dead Blow, 3lbs, Industrial Grade | 39.61 | | 445-38 |
| 9-38461 | Hammer, Ball Pein, 4oz, Hickory Handle | 12.87 | | 445-38 |
| 9-38463 | Hammer, Ball Pein, 8oz, Hickory Handle | 13.86 | | 445-38 |
| 9-38465 | Hammer, Ball Pein, 16oz, Hickory Handle | 15.84 | | 445-38 |
| 9-38467 | Hammer, Ball Pein, 32oz, Hickory Handle | 19.80 | | 445-38 |
| 9-38739 | Caliper, Dial, English/Metric, Plastic Case | 52.67 | ΕA | 445-35 |
| | Machinist Tool Kit, 3 Piece, 0-6" Range Dial Caliper, 0-1" | | | |
| 0.00770 | range Friction Head Micrometer, 6" Machinist Ruler, Wood | 100.11 | | 445.00 |
| 9-38776 | Storage Case | 126.41 | EA | 445-82 |
| 0 00055 | Level, Heavy Duty Aluminum, 48" Length, Large Comfortable | 00.70 | | 445 40 |
| 9-39255 | Hand Grips, Top Read Window | 30.78 | EA | 445-46 |
| | Replacement Blade,25' Length; 1" Width; Use With 9-39674, | | | |
| 9-39523 | 9-39678 | 4.10 | EA | 445-06 |
| 0.00507 | Combination Square, 12", 1" Blade, Includes Self Aligning | 40.04 | F A | 445 40 |
| 9-39567 | Drawbolt | 12.31 | | 445-46 |
| 9-39601 | Square, Rafter Marking, 7" | 7.18 | | 445-46 |
| 9-39602 | Rafter Marking Square, Aluminum, 12" | 15.39 | EA | 445-46 |
| 0 00007 | Framing Square, Aluminum, 24" x 2" Body, 16" x 1 1/2" | 40.04 | | 445 40 |
| 9-39607 | Tongue, 1/8" Graduated Scale | 13.34 | EA | 445-46 |
| 0 20615 | Framing Square, Aluminum, Black Finish, 24" x 2" Body, | 15 20 | | 11F 16 |
| 9-39615 | 16" x 1 1/2" Tongue, 1/8" Graduated Scale Level, Torpedo, Aluminum, 9", One Magnetic Edge, One V | 15.39 | EA | 445-46 |
| 9-39829 | Groove Edge | 10.26 | | 445-46 |
| 9-39629 | Protractor, Universal, Magnetic Base and Back, 2 Moveable | 10.20 | LA | 445-40 |
| 9-39840 | Indicators rotate 360 deg | 10.26 | FΔ | 445-35 |
| 9-39861 | Level, 12", 2 Level Vials, 1 Pitch and 1 Plumb Vial | 12.31 | | 445-46 |
| 9-39882 | Level, Torpedo, Inspectors, 9", Aluminum Construction | 8.20 | | 445-46 |
| 9-39914 | Case for Levels, 48" Long | 10.26 | | 445-46 |
| 9-40104 | Plum Bob, Solid Brass, 16oz | 15.39 | | 445-46 |
| | Tool Pouch,3 Pockets; Saddle Leather; Rivet Reinforced; | 10.00 | L/(| |
| 9-40463 | Tool Pouch | 13.57 | EA | 445-79 |
| 0 10 100 | Belt,2 1/4" W; Quick Release Buckle; 29" to 46" Waist; | 10.01 | 273 | |
| 9-40471 | Cotton; Web Belt | 7.30 | EA | 445-79 |
| 9-40472 | Belt,Leather; 29" to 46" Waist; 2" W; Belt | 10.43 | | 445-79 |
| | Tool Pouch,8 Pockets; Saddle Leather; 2" W Belt; | | | |
| 9-40487 | Electrician's Tool Pouch | 20.88 | EA | 445-79 |
| | Tool Pouch,1 V-Shaped Pocket; 2 1/2" Tapering to 1"; 2" W | | | |
| 9-40491 | Belt Slots; Leather; Knife Holder | 5.74 | EA | 445-79 |
| | Tool Pouch,9 Pockets; 2 1/2" Tunnel Belt Loop; Tape, T- | | | |
| | Chain, Hammer Holders; Saddle Leather; Electrician's Tool | | | |
| 9-40527 | Pouch | 31.32 | EA | 445-79 |
| | Belt,3" W; 33" to 46" Waist; Oil Tanned; Top Grain; Steel | | | - |
| 9-40626 | Roller Style Buckle; Leather Belt | 18.79 | EA | 445-79 |
| | Belt,3" W; 27" to 42" Waist; Oil Tanned; Top Grain; Steel | | | 1 |
| 9-40627 | Roller Style Buckle; Leather Belt | 18.79 | EA | 445-79 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|--------------------|---|---------------------|-----|-------------------|
| | Tool & Parts Organizer,54 Pockets; Waterproof; Fits | | | |
| 9-40664 | Standard 5 gal Buckets; Tool Organizer | 13.57 | | 445-79 |
| 9-40815 | Spark Plug Gauge/Thickness Set, 5 Piece | 20.88 | EA | 445-82 |
| 9-40818 | Spark Plug Gauge, Six Wire, Hi-Energy, Includes: .040, .044, .045, .050, .060 and .080 | 2.08 | EA | 445-82 |
| 9-40941 | Tool Bags,8 Pockets; 20" Large Mouth; Telescoping Handles; Heavy-Duty Wheels; Rolling Tool Bag | 41.77 | EA | 445-79 |
| 9-40942 | Tool Bags,30 Pockets; 16" Large Mouth; Rubber Base; Tool Bag | 31.32 | EA | 445-79 |
| 9-41024 | Screw Starter, For Slotted Screws, 5 5/8" Length, Releases Automatically | 6.12 | EA | 445-64 |
| | Screw-Holding Drivers, 1/8" Tip, 4" Shank Length, Thumb | | | |
| 9-41123 | Control | 6.11 | | 445-64 |
| 9-41124 | Screw Holding Drivers,3/16" Slotted Screw Holding Driver | 7.13 | | 445-64 |
| 9-41247 | Screwdriver, Slotted, 3/16" Cabinet Tip, 4" Shank Length | 3.71 | | 445-64 |
| 9-41248 | Screwdriver, Slotted, 3/16" Cabinet Tip, 8" Shank Length | 3.96 | | 445-64 |
| 9-41293 | Screwdriver, Phillips, Size #0, 2 1/2" Long Shank | 3.14 | | 445-64 |
| 9-41294 | Screwdriver, Phillips #1, 3" Shank Length | 3.56 | | 445-64 |
| 9-41295 | Screwdriver, Phillips, Size# 2, 4" Shank Length | 4.58 | | 445-64 |
| 9-41296 | Screwdriver, Phillips Size #2, 8" Blade Length | 5.60 | | 445-64 |
| 9-41297 | Screwdriver, Phillips, Size# 3, 6" Shank Length | 5.72 | | 445-64 |
| 9-41298 | Screwdriver, Phillips, Size #4, 8" Shank Length | 6.63 | | 445-64 |
| 9-41322 | Pick-Up Tool, Flexible, Spring Jaws, 23 1/2" Length | 6.26 | | 445-29 |
| 9-41328 | Bowl, Stainless Steel, Magnetic Bottom, Round, 6" | 10.52 | | 445-51 |
| 9-41333 | Socket Carry Rack, 1/4" Drive, Holds 16 Sockets | 5.35 | | 445-79 |
| 9-41334 9-41335 | Socket Carry Rack, 3/8" Drive, Holds 14 Sockets Socket Carry Rack, 1/2" Drive, Holds 14 Sockets | <u>5.35</u> 5.35 | | 445-79 445-79 |
| 9-41337 | Replacement Clips for Socket Carry Rack, 3/8" Drive, 10 pack | 3.21 | | 445-79 |
| 9-41362 | Screw-Holding Drivers, Phillips #2, 5" Shank Length, Thumb Control | 6.11 | | 445-64 |
| 9-41363 | Screw Holding Drivers,#2 Phillips Screw Holding Driver | 7.13 | | 445-64 |
| 9-41421 | Screwdriver, Slotted, 1/8" Tip, 2" Shank Length, Pocket Clip | 3.43 | | 445-64 |
| | Ratchet, Set, Reversible Offset, 5 Piece, Includes Ratchet | | | |
| 9-41469 | Handle, 1/2" and 3/8" Slotted, #1 and #2 Phillips | 9.90 | | 445-82 |
| 9-41473 | Screwdriver, Torx®, Size T-10 | 3.02 | | 445-64 |
| 9-41474 | Screwdriver, Torx®, Size T-15 Screwdriver Set, Stubby, 3/32" x 1 1/2" Slotted and #0 x | 3.07 | EA | 445-64 |
| 9-41543 | 1 1/2" Phillips | 2.88 | EA | 445-82 |
| 9-41577 | Screwdriver, Slotted, 3/16" Tip, 6" Shank Length | 3.88 | EA | 445-64 |
| 9-41578 | Screwdriver, Slotted, 1/4" Tip, 8" Shank Length | 5.12 | EA | 445-64 |
| 9-41579 | Screwdriver, Slotted, 5/16" Tip, 6" Shank Length | 5.08 | EA | 445-64 |
| 9-41581 | Screwdriver, Slotted, 3/16" Tip, 4" Shank Length | 4.13 | | 445-64 |
| 9-41582 | Screwdriver, Slotted, 3/16" Tip, 9" Shank Length | 4.92 | | 445-64 |
| 9-41583 | Screwdriver, Phillips Size #2, 6" Blade Length | 4.03 | | 445-64 |
| 9-41584 | Screwdriver, Slotted, 1/4 Tip, 6" Shank Length | 3.43 | | 445-64 |
| 9-41585 | Screwdriver, Slotted, 1/4" Tip, 12" Shank Length | 7.65 | | 445-64 |
| 9-41586 | Screwdriver, Slotted, 5/16" Tip, 1 3/4" Shank Length | 5.00 | | 445-64 |
| 9-41587 | Screwdriver, Slotted, 5/16" Tip, 8" Shank Length | 5.13 | | 445-64 |
| 9-41588 | Screwdriver, Slotted, 3/8" Tip, 12" Shank | 8.76 | | 445-64 |
| 9-41589 | Screwdriver, Slotted, 1/8" Tip, 4" Long Blade Pick Up Tool, Magnetic, Powercap™ Magnet, 10lb lifting | 3.25 | EA | 445-64 |
| 9-41602 | Capacity, Stainless Steel Handle extends from 8 1/4" to 30 1/4" | 13.57 | EA | 445-29 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|--|-------------------|-------|-------------------|
| | Screwdriver, Set, Micro, 10 Piece, 4 Slotted, 4 Phillips and 4 | 1 1100 | 00111 | 0000 |
| 9-41633 | Torx® | 21.78 | FA | 445-82 |
| 9-41641 | Screwdriver, Micro, Slotted, 1/8" Tip, 1 1/2" Shank Length | 2.77 | | 445-64 |
| 9-41642 | Screwdriver, Micro, Slotted, 1/8" Tip, 2 1/2" Shank Length | 3.24 | | 445-64 |
| | | 0.2 | _/ \ | |
| 9-41643 | Screwdriver, Micro, Slotted, 9/64" Tip, 2 1/2" Shank Length | 3.24 | EA | 445-64 |
| 9-41644 | Screwdriver, Micro, Slotted, 5/32" Tip, 2 1/2" Shank Length Ratcheting Screwdriver Bit Wrench Set,5 Pieces; 2 Slotted | 3.24 | EA | 445-64 |
| | Bits; 2 Phillips Bits; Offset Reversible Ratcheting Screwdriver | | | |
| 9-41715 | Bit Wrench Set | 9.90 | FΔ | 445-82 |
| 5 417 10 | Screwdriver, Set, Readybit® Ratcheting, Includes 14 | 0.00 | | 440 02 |
| 9-41796 | Assorted Bits | 24.76 | FΔ | 445-82 |
| 9-41852 | Screwdriver, Slotted, 3/8" Tip, 8" Shank Length | 6.34 | | 445-64 |
| 9-41853 | | | | |
| | Screwdriver, Phillips, Size #2, 6" Shank Length Screwdriver, Slotted, 3/16" Tip, 1 1/2" Shank Length | 5.18 | | 445-64 |
| 9-41854 | | 3.03 | | 445-64 |
| 9-41855 | Screwdriver, Phillips, Size #1, 1 1/2" Shank Length Nut Driver, Standard, 1/4", Color Coded | 2.78 | | 445-64 |
| 9-41971 | , , , | 4.01 | | 445-06 |
| 9-41972 | Nut Driver, Standard, 5/16", Color Coded | 4.77 | | 445-06 |
| 9-41974 | Nut Driver, Standard, 3/8", Color Coded | 4.77 | | 445-06 |
| 9-41975 | Nut Driver, Standard, 7/16", Color Coded | 6.39 | | 445-06 |
| 9-41977 | Nut Driver, Standard, 3/16", Color Coded | 4.01 | | 445-06 |
| 9-41983 | Nut Driver, Metric, 7mm, Color Coded | 4.32 | EA | 445-06 |
| | Wrench, Ratcheting, Standard, Box End, 1" x 1 1/16", 12 | | | |
| 9-42109 | Point | 27.17 | EA | 445-91 |
| | Wrench, Ratcheting, Standard, Box End, 1 1/8" x 1 1/4", 12 | | | |
| 9-42111 | Point | 27.17 | EA | 445-91 |
| | | | | |
| | Wrench Set, Ratcheting, Box End, Standard/Metric, 12 Piece, | | | |
| 9-42112 | 7 Standard 1/4" - 1 1/4", 5 Metric 7mm - 21mm, 12 Point | 83.36 | EA | 445-82 |
| | | | | |
| | Ratcheting Screwdriver Bit Wrench Set,25 Pieces; 2 Slotted | | | |
| | Bits; 2 Phillips Bits; 9 Torx Bits; 8 Hex Bits; 2 Ratchets & 1 | | | |
| 9-42151 | Extension; Ratcheting Screwdriver Bit Wrench Set | 53.08 | EA | 445-82 |
| | Wrench, Set, Ratcheting, Box End, 5 Piece, 1/4"x5/16", | | | |
| 9-42160 | 3/8"x7/16", 1/2"x9/16", 5/8"x3/4", 11/16"x7/8", 12 Point | 29.41 | EA | 445-82 |
| | Wrench, Ratcheting, Box End, Standard, 3/8" x 7/16", 12 | | | |
| 9-42162 | Point | 6.86 | EA | 445-91 |
| | Wrench, Ratcheting, Box End, Standard, 1/2" x 9/16", 12 | | | |
| 9-42163 | Point | 6.86 | EA | 445-91 |
| | | | | |
| 9-42164 | Wrench, Box End, Ratcheting, Standard, 5/8" x 3/4", 12 Point | 7.84 | EA | 445-91 |
| 9-42192 | Nut Driver, Standard, 1/4", Cushion Grip, Color Coded | 4.85 | | 445-64 |
| 9-42193 | Nut Driver, 5/16", Cushion Grip, Color Coded | 4.92 | | 445-64 |
| 9-42196 | Nut Driver, Standard, 7/16", Cushion Grip, Color Coded | 5.71 | | 445-64 |
| | - , , , | | Ì | |
| 9-42319 | Wrench, Set, Ignition, Combination, Includes 5/32" thru 7/16" | 15.39 | EA | 445-82 |
| | Wrench Set, Ignition, Combination, Metric, 10 Piece, 4mm - | | | |
| 9-42339 | 11mm | 15.39 | EA | 445-82 |
| | Wrench, Set, Box End, CrownLock™, Ratcheting, 5 Piece, | .0.00 | | |
| | 1/4"x5/16", 3/8"x7/16", 1/2"x9/16", 5/8"x3/4", 11/16"x7/8", 12 | | | |
| 0-12280 | Point | 11 04 | | 115.00 |
| 9-42380 | Wrench Set, Combination, Locking Flex Ratcheting, Metric, 7 | 41.84 | EA | 445-82 |
| 0 42401 | | 100.00 | | 115 92 |
| 9-42401 | Piece, 8mm - 19mm | 120.26 | EA | 445-82 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|--|-------------------|------------|-------------------|
| | Wrench, Set, Combination, Reversible Ratcheting, Standard, | | | |
| 9-42404 | 8 Piece, 5/16" through 3/4" | 94.14 | EA | 445-82 |
| | Wrench, Combination, Reversible Ratcheting, Standard, | | | |
| 9-42412 | 5/16" | 8.85 | EA | 445-91 |
| | | | | |
| 9-42413 | Wrench, Combination, Reversible Ratcheting, Standard, 3/8" | 9.54 | EA | 445-91 |
| | Wrench, Reversible Ratcheting, Combination, Standard, | | | |
| 9-42414 | 7/16" | 10.00 | EA | 445-91 |
| • | | | | |
| 9-42415 | Wrench, Reversible Ratcheting, Combination, Standard, 1/2" | 10.37 | FA | 445-91 |
| 9-42416 | Wrench, Reversible Ratcheting, Combination, 9/16" | 11.78 | | 445-91 |
| 9-42417 | Wrench, Combination, Reversible Ratcheting, 5/8" | 13.04 | | 445-91 |
| 9-42418 | Wrench, Reversible Ratcheting, Standard, 11/16" | 14.24 | | 445-91 |
| 3-42410 | Wrench, Combination, Reversible Ratcheting, Standard, | 14.24 | LA | 445-91 |
| 0 40440 | | 15 50 | F A | 445-91 |
| 9-42419 | 5/4 | 15.52 | EA | 440-91 |
| 0 40 404 | Weensh Deversible Detabeting Combination Matrix 40mm | 40.04 | F A | 445.04 |
| 9-42421 | Wrench, Reversible Ratcheting, Combination, Metric, 10mm | 10.21 | EA | 445-91 |
| | | 10.10 | | |
| 9-42422 | Wrench, Reversible Ratcheting, Combination, Metric, 11mm | 10.43 | EA | 445-91 |
| | | | | |
| 9-42424 | Wrench, Reversible Ratcheting, Combination, Metric, 13mm | 11.42 | EA | 445-91 |
| | | | | |
| 9-42425 | Wrench, Combination, Reversible Ratcheting, Metric, 14mm | 12.01 | EA | 445-91 |
| | | | | |
| 9-42426 | Wrench, Combination, Reversible Ratcheting, Metric, 15mm | 12.98 | EA | 445-91 |
| | | | | |
| 9-42427 | Wrench, Combination, Reversible Ratcheting, Metric, 16mm | 13.69 | EA | 445-91 |
| | | | | |
| 9-42428 | Wrench, Combination, Reversible Ratcheting, Metric, 17mm | 14.94 | EA | 445-91 |
| | | | | |
| 9-42430 | Wrench, Reversible Ratcheting, Combination, Metric, 19mm | 16.29 | EA | 445-91 |
| | Wrench Set, Ratcheting, Combination, Standard, 8 Piece, | | | |
| 9-42444 | 5/16" - 3/4", Display Rack | 58.39 | EA | 445-82 |
| - | Wrench Set, Ratcheting, Combination, Metric, 8 Piece, 8mm - | | | |
| 9-42445 | 18mm, Display Rack | 58.39 | EA | 445-82 |
| 0 0 | Wrench Set, Extreme Grip, 3 Piece, Standard, 7/16"x1/2", | 00.00 | | |
| 9-42512 | 9/16"x5/8", 11/16"x3/4" | 24.05 | FA | 445-82 |
| 9-42541 | Wrench, Combination, Open End/Socket End, 7/16" | 12.04 | | 445-91 |
| 9-42542 | Wrench, Combination, Open End/Socket End, 1/2" | 13.07 | | 445-91 |
| 5-42542 | Wrench, Combination, Open End/Socket End, 1/2 Wrench, Combination, Open End/Socket End, Standard, | 10.07 | | 4-0-01 |
| 9-42543 | 9/16" | 14.51 | | 445-91 |
| 9-42546 | Wrench, Combination, Open End/Socket End, 34" | 14.31 | | 445-91 |
| 9-42635 | Wrench, Combination, Open End/Socket End, 34 Wrench, Combination, Ratcheting, Standard, 7/16" | 7.24 | | 445-91 |
| | | | | |
| 9-42636 | Wrench, Ratcheting, Combination, Standard, 1/2" | 7.55 | | 445-91 |
| 9-42637 | Wrench, Combination, Ratcheting, Standard, 9/16" | 7.85 | | 445-91 |
| 9-42638 | Wrench, Ratcheting, Combination, Standard, 5/8" | 8.15 | | 445-91 |
| 9-42639 | Wrench, Combination, Ratcheting, Standard, 3/4" | 8.75 | | 445-91 |
| 9-42640 | Wrench, Combination, Ratcheting, Metric, 8mm | 5.43 | | 445-91 |
| 9-42641 | Wrench, Ratcheting, Combination, Metric, 10mm | 6.03 | | 445-91 |
| 9-42643 | Wrench, Ratcheting, Combination, Metric, 13mm | 6.94 | | 445-91 |
| 9-42647 | Wrench, Ratcheting, Combination, Standard, 11/16" | 8.45 | | 445-91 |
| 9-42664 | Socket, Torx® Bit, 3/8" Drive, T-30 Size | 4.67 | EA | 445-64 |
| 9-42665 | Socket, Torx® Bit, 3/8" Drive, T-40 Size | 4.67 | EA | 445-64 |
| 9-42666 | Socket, Torx® Bit, 3/8" Drive, T-45 Size | 4.71 | EA | 445-64 |
| 9-42674 | Socket, Hex Bit, 3/8" Drive, 4mm | 4.77 | | 445-91 |

| Part Number | Product Description | Net Unit Price | иом | Commodity Code |
|-------------|--|-------------------|-----|-------------------|
| 9-42675 | Socket, Hex Bit, 3/8" Drive, 5mm | 4.97 | EA | 445-91 |
| 9-42676 | Socket, Hex Bit, 3/8" Drive, 6mm | 5.02 | EA | 445-91 |
| 9-42678 | Socket, Hex Bit, Metric, 3/8" Drive, 8mm | 5.15 | EA | 445-91 |
| 9-42679 | Socket, Hex Bit, Metric, 3/8" Drive, 10mm | 5.39 | EA | 445-91 |
| | | | | |
| | Hex Bit Socket Set, 18 Piece, 3/8" Drive, 6 Standard Bits, 6 | | | |
| 9-42680 | Metric Bits, 3 Slotted Screwdriver Bits, 3 Phillips Bits | 62.15 | | 445-82 |
| 9-42703 | Socket, Hex Bit, 1/4" Drive, 1/4" | 4.35 | EA | 445-91 |
| | Drive Bit Set, 12 Piece, 1/4" Drive, 5 Hex Bit Sockets, 2 | | | |
| | Slotted Bit Sockets, 2 Phillips Bit Sockets, 3 Torx® Bit | | | |
| 9-42712 | Sosckets | 33.67 | EA | 445-82 |
| | | | | |
| | Socket, Bit Set, 23 Piece, 3/8" Drive, 6 Standard Hex Bits, 6 | | | |
| 9-42723 | Metric Hex Bits, 4 Torx® Bits, 3 Slotted Bits, 4 Phillips Bits | 57.72 | EA | 445-82 |
| | Prick Punch, 3/8" Point, 4 1/2" Length, Bright Red E-Coat for | | | |
| 9-42841 | High Visibility | 3.52 | EA | 445-49 |
| | Cold Chisel, 12" Long, 3/4", Bright Red E-Coat for High | | | |
| 9-42853 | Visibility | 10.81 | EA | 445-15 |
| | | | | |
| 9-42854 | Cold Chisel, Long, 7/8" Cut Width; 3/4" Hex Size; 12" Length | 10.94 | EA | 445-15 |
| | Center Punch, 3/8" Point, 4 1/2" Length, Bright Red E-Coat | | | |
| 9-42861 | for High Visibility | 3.52 | EA | 445-49 |
| | Center Punch, 1/2" Point, 6" Length, Bright red E-Coat for | | | |
| 9-42862 | High Visibility | 3.78 | EA | 445-49 |
| 9-42867 | Wrench, Combination, Metric, 10mm, 6 Point | 6.07 | EA | 445-91 |
| 9-42874 | Wrench, Combination, Metric, 17mm, 6 Point | 9.26 | EA | 445-91 |
| 9-42881 | Pin Punch, Pin Punch; 1/16" Size; 4 1/4" Length | 2.78 | EA | 445-15 |
| 9-42882 | Pin Punch, 3/32" Size; 4 7/16" Length | 2.90 | EA | 445-15 |
| | Pin Punch, 1/8" Point, 4 1/2" Length, Bright Red E-Coat for | | | |
| 9-42883 | High Visibility | 3.02 | EA | 445-15 |
| 9-42884 | Pin Punch, 5/32" Size, 5" Length | 3.37 | EA | 445-15 |
| 9-42886 | Pin Punch, 1/4" Size, 5 3/8" Length | 4.33 | EA | 445-15 |
| | Line Up Tool, 5/32" Point, 7" Length, Bright Red E-Coat for | | | |
| 9-42901 | High Visibility | 6.37 | EA | 445-15 |
| | Line Up Tool, 3/16" Point, 9" Length, Bright Red E-Coat for | | | |
| 9-42902 | High Visibility | 7.44 | EA | 445-15 |
| | Line Up Tool, 1/4" Point, 12" Length, Bright Red E-Coat for | | | |
| 9-42903 | High Visibility | 9.04 | EA | 445-15 |
| 9-42909 | Wrench, Combination, Metric, 6mm, 12 Point | 4.70 | EA | 445-91 |
| 9-42911 | Wrench, Combination, Metric, 7mm, 12 Point | 4.90 | EA | 445-91 |
| 9-42912 | Wrench, Combination, Metric, 8mm, 12 Point | 4.90 | EA | 445-91 |
| 9-42913 | Wrench, Combination, Metric, 9mm, 12 Point | 5.39 | EA | 445-91 |
| 9-42914 | Wrench, Combination, Metric, 10mm, 12 Point | 6.07 | EA | 445-91 |
| 9-42915 | Wrench, Combination, Metric, 11mm, 12 Point | 6.46 | EA | 445-91 |
| 9-42916 | Wrench, Combination, Metric, 12mm, 12 Point | 6.74 | EA | 445-91 |
| 9-42918 | Wrench, Combination Metric, 14mm, 12 Point | 7.44 | | 445-91 |
| 9-42919 | Wrench, Combination, Metric, 15mm, 12 Point | 8.05 | EA | 445-91 |
| 9-42921 | Wrench, Combination, Metric, 19mm, 12 Point | 10.10 | EA | 445-91 |
| 9-42922 | Wrench, Combination, Metric, 22mm, 12 Point | 13.33 | | 445-91 |
| 9-42923 | Wrench, Combination, Metric, 24mm, 12 Point | 15.69 | | 445-91 |
| 9-42924 | Wrench, Combination, Metric, 16mm, 12 Point | 8.47 | | 445-91 |
| 9-42925 | Wrench, Combination, 22mm, 12 Point | 9.65 | | 445-91 |
| 9-42929 | Wrench, Combination, Metric, 17mm, 12 Point | 9.26 | | 445-91 |
| 9-42932 | Wrench, Combination, Metric, 26mm, 12 Point | 17.65 | | 445-91 |
| 9-42933 | Wrench, Combination, Metric, 27mm, 12 Point | 18.63 | | 445-91 |

| 142935 Wrench, Combination, Metric, 30mm, 12 Point 20.69 EA 445-9 9-42937 Wrench, Combination, Metric, 20mm, 12 Point 10.93 EA 445-9 9-42938 Wrench, Combination, Metric, 21mm, 12 Point 11.95 EA 445-9 9-42939 Wrench, Combination, Metric, 21mm, 12 Point 11.45 EA 445-9 9-42939 Wrench, Combination, Metric, 23mm, 12 Point 11.45 EA 445-9 9-42937 Cold Chisel, 3/8' Edge, 5/16' Stk, 5' Length 4.17' EA 445-1 9-42972 Cold Chisel, 3/8' Edge, 5/16' Stk, 5' Length, Bright Red 9 445-1 9-42972 Cold Chisel, 3/8' Edge, 1/2'' STK, 6' Length, Bright Red E 9 445-1 9-42974 Cold Chisel, 3/4'' Edge, 5/8'' STK, 6' 1/2'' Length, Bright Red E 9 445-1 9-42975 Cold Chisel, 7/8' Cold Chisel, 7/8'' Hex Size; 7 1/2'' Length 10.67 EA 445-1 9-42999 Socket, Standard, 3/8'' Drive, 7/16', 6 Point 2.70 EA 445-9 9-43001 Socket, Standard, 3/8'' Drive, 7/16', 6 Point 2.71 EA 445-9 9-43002 Socket, Standard, 3/8'' Drive, 7/16', 6 Point 2.82 EA 445-9 | | | Net Unit | | Commodity |
|--|---------------|---|----------|-----|------------------|
| 9-42336 Wrench, Combination, Metric, 20mm, 12 Point 25.49 EA 445-9 9-42337 Wrench, Combination, Metric, 20mm, 12 Point 10.93 EA 445-9 9-42338 Wrench, Combination, Metric, 21mm, 12 Point 12.74 EA 445-9 9-42338 Wrench, Combination, Metric, 23mm, 12 Point 14.35 EA 445-9 9-42955 Standard Wrenches, 14 Metric Wrenches 144.5.03 EA 445-9 9-42972 Cold Chisel, 172 Edge, 71/6 'STK, 5 14ength 4.17 EA 445-1 Cold Chisel, 172 Edge, 71/6 'STK, 6 122 'Length, Bright Red E 9-42973 E-Coat for High Visibility 5.05 EA 445-1 Cold Chisel, 374 Edge, 578 'STK, 6 1/2 ''Length, Bright Red E 9-42975 Coat for High Visibility 5.59 EA 445-1 9-42976 Cold Chisel, 374 'Edge, 578 'TK, 6 1/2 ''Length, Bright Red E 9-43000 Socket, Standard, 38'' Drive, 5716'', 6 Point 2.70 EA 445-9 9-43000 Socket, Standard, 38'' Drive, 716'', 6 Point 2.78 EA 445-9 9-43001 Socket, Standard, 38'' Drive, 716'', 6 Point 2.82 EA 445-9 9-43002 Socket, Standard, 38'' Drive, 716'', 6 Point 2.94 EA | | Product Description | Price | UOM | Code |
| 9-42937 Wrench, Combination, Metric, 20mm, 12 Point 10.93 EA 445-9 9-42938 Wrench, Combination, Metric, 23mm, 12 Point 12.74 EA 445-9 9-42939 Wrench, Combination, Metric, 23mm, 12 Point 14.35 EA 445-9 9-42972 Cold Chisel, 3/8" Edge, 5/16" Stk, 5" Length 4.17 EA 445-1 9-42972 Cold Chisel, 3/8" Edge, 5/16" Stk, 5" Length, Bright Red 9-42973 5.05 EA 445-1 Cold Chisel, 5/8" Edge, 7/16" STK, 6 3/4" Length, Bright Red E 9-42974 5.05 EA 445-1 Cold Chisel, 5/8" Edge, 1/2" STK, 6" Length, Bright Red E 9-42975 5.94 EA 445-1 Cold Chisel, 7/8" Cut Widht; 3/4" Hex Size; 7 1/2" Length 10.67 EA 445-1 9-42975 Coat for High Visibility 7.18 EA 445-9 9-42976 Cold Chisel, 7/8" Cut Widht; 3/4" Hex Size; 7 1/2" Length 10.67 EA 445-9 9-42975 Coat for High Visibility 2.70 EA 445-9 9-43001 Socket, Standard, 3/8" Drive, 716", 6 Point 2.70 EA 445-9 9-43002 Socket, Standard, 3/8" Drive, 716", 6 Point 2.81 EA 445-9 | | | | | |
| 9-42938 Wrench, Combination, Metric, 21mm, 12 Point 12.74 [EA 445-9 9-42939 Wrench, Combination, Metric, 23mm, 12 Point 14.35 [EA 445-9 9-42955 Standard Wrenches, 14 Metric Wrenches 146.03 [EA 445-8 9-42972 Cold Chisel, 1/2" Edge, 7/16" STK, 5' 14" Length, Bright Red 4.17 445-1 Cold Chisel, 1/2" Edge, 7/16" STK, 6' Length, Bright Red E- 5.59 [EA 445-1 Cold Chisel, 3/4" Edge, 5/8" STK, 6' 1/2" Length, Bright Red E- 5.59 [EA 445-1 Cold Chisel, 3/4" Edge, 5/8" STK, 6' 1/2" Length, Bright Red E- 9.42975 Coat for High Visibility 5.05 [EA 445-1 9.42975 Coat for High Visibility 7.18 [EA 445-1 9.42976 Coat Chisel, 3/4" Edge, 5/8" STK, 6 1/2" Length, Bright Red E- 9.42999 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.68 [EA 445-9 9.43000 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.74 [EA 445-9 9.43001 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.84 [EA 445-9 9.43002 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.84 [EA 445-9 9.43004 So | | | | | |
| 9-42339 Wrench, Combination, Metric, 23mm, 12 Point 14.35 EA 445-9 9-42955 Standard Wrenches, 14 Metric Wrenches 145.03 EA 445-8 9-42972 Cold Chisel, 378" Edge, 5716" Stk, 57 Length 4.17 EA 445-1 9-42973 E-Coat for High Visibility 5.05 EA 445-1 9-42974 Coat for High Visibility 5.05 EA 445-1 9-42975 Coat for High Visibility 5.05 EA 445-1 9-42974 Coat for High Visibility 7.18 EA 445-1 9-42976 Cold Chisel, 7/8" Cut Width; 3/4" Hex Size; 7 1/2" Length 10.67 EA 445-9 9-43000 Socket, Standard, 3/8" Drive, 716", 6 Point 2.70 EA 445-9 9-43001 Socket, Standard, 3/8" Drive, 716", 6 Point 2.74 EA 445-9 9-43002 Socket, Standard, 3/8" Drive, 716", 6 Point 2.88 EA 445-9 9-43003 Socket, Standard, 3/8" Drive, 716", 6 Point 2.94 EA 445-9 9-43004 Socket, Standard, 3 | | | | | 445-91 |
| Wrench, Set, Open End, Standard/Metric, 28 Piece, 14 H45.03 FA 9-42972 Cold Chisel, 3% Edge, 5/16' Stk, 5' Length 44.77 FA 445-8 9-42973 Cold Chisel, 3% Edge, 5/16' Stk, 5' Length 44.77 FA 445-1 Cold Chisel, 1/2'' Edge, 7/16' Stk, 5' Length, Bright Red 5.05 EA 445-1 Cold Chisel, 5/8'' Edge, 5/8'' STK, 6' Length, Bright Red E 5.59 EA 445-1 Cold Chisel, 7/8'' Edge, 5/8'' STK, 6 1/2'' Length, Bright Red E 5.59 EA 445-1 9-42975 Cold Chisel, 7/8'' Cut Width; 3/4'' Hex Size; 7 1/2'' Length 10.67 EA 445-1 9-42976 Cold Chisel, 7/8'' Cut Width; 3/4'' Hex Size; 7 1/2'' Length 10.67 EA 445-9 9-42900 Socket, Standard, 3/8' Drive, 1/4', 6 Point 2.70 EA 445-9 9-43001 Socket, Standard, 3/8' Drive, 1/4', 6 Point 2.71 EA 445-9 9-43002 Socket, Standard, 3/8' Drive, 1/6', 6 Point 2.81 EA 445-9 9-43003 Socket, Standard, 3/8' Drive, 1/16', 6 Point 2.94 EA 445-9 9-43004 | | , , , , | | | |
| 9-42955 Standard Wrenches, 14 Metric Wrenches 145.03 EA 445.8 9-42972 Cold Chisel, 3/8" Edge, 5/16" StK, 5" Length 4.17 EA 445-1 9-42973 E-Coat for High Visibility 5.05 EA 445-1 9-42974 Coat for High Visibility 5.59 EA 445-1 9-42975 Coat for High Visibility 7.18 EA 445-1 9-42976 Coat for High Visibility 7.18 EA 445-1 9-42976 Cold Chisel, 3/4" Edge, 5/16", 6 1/2" Length, Bright Red E 9.429976 9-43000 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.68 EA 445-9 9-43000 Socket, Standard, 3/8" Drive, 1/16", 6 Point 2.70 EA 445-9 9-43001 Socket, Standard, 3/8" Drive, 1/16", 6 Point 2.74 EA 445-9 9-43002 Socket, Standard, 3/8" Drive, 1/16", 6 Point 2.82 EA 445-9 9-43003 Socket, Standard, 3/8" Drive, 1/16", 6 Point 2.94 EA 445-9 9-43004 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.94 EA 445-9 9-43005 Socket, Standard, 3/8" Drive, 1/16", 6 Point 2.94 EA 4 | | | 14.35 | EA | 445-91 |
| 9-42972 Cold Chisel, 3/8" Edge, 5/16" Stk, 5" Length 4.17 EA 445-1 9-42973 E-Coat for High Visibility 5.05 EA 445-1 9-42974 Coat for High Visibility 5.59 EA 445-1 9-42975 Coat for High Visibility 5.59 EA 445-1 9-42976 Cold Chisel, 7/8" Cut Width; 3/4" Hex Size; 7 1/2" Length 10.67 EA 445-1 9-42976 Cold Chiser, 7/8" Cut Width; 3/4" Hex Size; 7 1/2" Length 10.67 EA 445-1 9-42976 Cold Chiser, 7/8" Cut Width; 3/4" Hex Size; 7 1/2" Length 10.67 EA 445-9 9-42906 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.70 EA 445-9 9-43001 Socket, Standard, 3/8" Drive, 3/16", 6 Point 2.74 EA 445-9 9-43002 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.88 EA 445-9 9-43003 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.84 EA 445-9 9-43004 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43005 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 | | | | | |
| Cold Chisel, 1/2* Edge, 7/16* STK, 5 3/4* Length, Bright Red 5.05 EA 445-1 9-42973 Coal for High Visibility 5.05 EA 445-1 9-42974 Coal for High Visibility 5.05 EA 445-1 9-42975 Coat for High Visibility 7.18 EA 445-1 9-42976 Coal for High Visibility 7.18 EA 445-1 9-42976 Cold Chisel, 3/4* Edge, 5/8* STK, 6 1/2* Length, Bright Red E 9.42990 Socket, Standard, 3/8* Drive, 5/16*, 6 Point 2.70 EA 445-9 9-43000 Socket, Standard, 3/8* Drive, 5/16*, 6 Point 2.70 EA 445-9 9-43001 Socket, Standard, 3/8* Drive, 1/2*, 6 Point 2.71 EA 445-9 9-43002 Socket, Standard, 3/8* Drive, 1/2*, 6 Point 2.82 EA 445-9 9-43003 Socket, Standard, 3/8* Drive, 7/16*, 6 Point 2.94 EA 445-9 9-43004 Socket, Standard, 3/8* Drive, 1/2*, 6 Point 2.94 EA 445-9 9-43005 Socket, Standard, 3/8* Drive, 7/8*, 6 Point 2.94 EA 44 | | | | | 445-82 |
| 9-42973 E-Coat for High Visibility 5.05 EA 445-1 9-42974 Coat for High Visibility 5.99 EA 445-1 9-42975 Coat for High Visibility 5.99 EA 445-1 9-42976 Cold Chisel, 78' Edge, 5/8' STK, 61/2' Length, Bright Red E 7.18 EA 445-1 9-42976 Cold Chisel, 78' Cut Width; 3/4'' Hex Size; 71/2' Length 10.67' EA 445-9 9-43000 Socket, Standard, 3/8' Drive, 14'', 6 Point 2.70' EA 445-9 9-43001 Socket, Standard, 3/8' Drive, 17', 6', 6 Point 2.77' EA 445-9 9-43002 Socket, Standard, 3/8' Drive, 17', 6', 6 Point 2.82' EA 445-9 9-43003 Socket, Standard, 3/8' Drive, 17', 6', 6 Point 2.88' EA 445-9 9-43004 Socket, Standard, 3/8' Drive, 17', 6', 6 Point 2.94' EA 445-9 9-43005 Socket, Standard, 3/8' Drive, 17', 6', 6 Point 2.94' EA 445-9 9-43006 Socket, Standard, 3/8' Drive, 17', 6', 6 Point 2.94' EA 445-9 9-43021 Socket, Standard, 3/8' Drive, 17', 6', 6 Point 2.94' EA 445 | | | 4.17 | EA | 445-15 |
| Cold Chisel, 5/8" Edge, 1/2" STK, 6" Length, Bright Red E- Coat for High Visibility 5.59 EA 445-1 9-42974 Cold Chisel, 3/4" Edge, 5/8" STK, 6 1/2" Length, Bright Red E- Coat for High Visibility 7.18 EA 445-1 9-42975 Cold Chisel, 7/8" Cut Width; 3/4" Hex Size; 7 1/2" Length 10.67 EA 445-1 9-42999 Socket, Standard, 3/8" Drive, 5/16", 6 Point 2.68 EA 445-9 9-43000 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.74 EA 445-9 9-43001 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.74 EA 445-9 9-43002 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.82 EA 445-9 9-43003 Socket, Standard, 3/8" Drive, 5/16", 6 Point 2.84 EA 445-9 9-43005 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.84 EA 445-9 9-43006 Socket, Standard, 3/8" Drive, 5/16", 6 Point 2.94 EA 445-9 9-43013 Socket, Standard, 3/8" Drive, 17/16", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 17/16", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 17/16", 6 Point 2.94 EA | | | | | |
| 9-42974 Coat for High Visibility 5.59 EA 445-1 Cold Chisel, 3/4" Edge, 5/8" STK, 6 1/2" Length, Bright Red E - | | | 5.05 | EA | 445-15 |
| Cold Chisel, 3/4" Edge, 5/8" STK, 6 1/2" Length, Bright Red E 7.18 EA 445-1 9-42976 Cold Chisel; 7/8" Cut Width; 3/4" Hex Size; 7 1/2" Length 10.67 EA 445-1 9-42999 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.68 EA 445-9 9-43001 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.74 EA 445-9 9-43002 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.74 EA 445-9 9-43003 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.82 EA 445-9 9-43004 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.82 EA 445-9 9-43005 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.94 EA 445-9 9-43006 Socket, Standard, 3/8" Drive, 1/6", 6 Point 2.94 EA 445-9 9-43013 Socket, Standard, 3/8" Drive, 1/6", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1/6", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1/6", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1/6", 6 Point 2.94 EA 445-9 9-43075 | | | | | |
| 9-42975 Coat for High Visibility 7.18 EA 445-1 9-42976 Cold Chisel; 7/8" Cut Width; 3/4" Hex Size; 7 1/2" Length 10.67 EA 445-9 9-43000 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.68 EA 445-9 9-43001 Socket, Standard, 3/8" Drive, 3/8", 6 Point 2.74 EA 445-9 9-43002 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.78 EA 445-9 9-43003 Socket, Standard, 3/8" Drive, 1/2", 6 Point 2.82 EA 445-9 9-43004 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.88 EA 445-9 9-43005 Socket, Standard, 3/8" Drive, 11/16", 6 Point 2.94 EA 445-9 9-43006 Socket, Standard, 3/8" Drive, 11/16", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 11/16", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 11/16", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 11/16", 6 Point 2.94 EA 445-9 9-43027 Standard Wrenches, 7 Metric Wrenches, 12 Point 2.94 EA 445-9 9-43075 <t< td=""><td></td><td></td><td></td><td>EA</td><td>445-15</td></t<> | | | | EA | 445-15 |
| 9-42976 Cold Chisel, 7/8" Cut Width; 3/4" Hex Size; 7 1/2" Length 10.67 EA 445-1 9-42999 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.68 EA 445-9 9-43000 Socket, Standard, 3/8" Drive, 3/16", 6 Point 2.70 EA 445-9 9-43001 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.74 EA 445-9 9-43002 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.82 EA 445-9 9-43003 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.82 EA 445-9 9-43004 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.94 EA 445-9 9-43005 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.94 EA 445-9 9-43006 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1/16", 6 Point 2.94 EA 445-9 9-43027 Standard Wrenches, 7 Metric Wrenches, 12 Point 68.65 EA 445-8 9-43075< | (| Cold Chisel, 3/4" Edge, 5/8" STK, 6 1/2" Length, Bright Red E- | | | |
| 9-42999 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.68 EA 445-9 9-43001 Socket, Standard, 3/8" Drive, 3/6", 6 Point 2.74 EA 445-9 9-43002 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.74 EA 445-9 9-43003 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.82 EA 445-9 9-43004 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.84 EA 445-9 9-43005 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.94 EA 445-9 9-43006 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.94 EA 445-9 9-43013 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 15/16", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.94 EA 445-9 9-43027 Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 9-43075 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch | | | 7.18 | EA | 445-15 |
| 9-43000 Socket, Standard, 3/8" Drive, 5/16", 6 Point 2.70 EA 445-9 9-43001 Socket, Standard, 3/8" Drive, 3/8", 6 Point 2.74 EA 445-9 9-43002 Socket, Standard, 3/8" Drive, 1/16", 6 Point 2.78 EA 445-9 9-43003 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.82 EA 445-9 9-43004 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.84 EA 445-9 9-43006 Socket, Standard, 3/8" Drive, 5/8", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43013 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43027 Standard Wrenches, 7 Metric Wrenches, 12 Point 2.94 EA 445-8 9-43075 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43139 QR Teardrop Ratchet and 3" & 6" Extensio | 976 (| Cold Chisel; 7/8" Cut Width; 3/4" Hex Size; 7 1/2" Length | 10.67 | EA | 445-15 |
| 9-43000 Socket, Standard, 3/8" Drive, 5/16", 6 Point 2.70 EA 445-9 9-43001 Socket, Standard, 3/8" Drive, 3/8", 6 Point 2.74 EA 445-9 9-43002 Socket, Standard, 3/8" Drive, 1/16", 6 Point 2.78 EA 445-9 9-43003 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.82 EA 445-9 9-43004 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.84 EA 445-9 9-43006 Socket, Standard, 3/8" Drive, 5/8", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43013 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43027 Standard Wrenches, 7 Metric Wrenches, 12 Point 2.94 EA 445-8 9-43075 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43139 QR Teardrop Ratchet and 3" & 6" Extensio | <u>عوام (</u> | Socket, Standard, 3/8" Drive, 1/4", 6 Point | 2.68 | EA | 445-91 |
| 9-43002 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.78 EA 445-9 9-43003 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.88 EA 445-9 9-43005 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.88 EA 445-9 9-43006 Socket, Standard, 3/8" Drive, 3/4", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 3/4", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43001 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 15/16", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 11/16", 6 Point 2.94 EA 445-9 9-43027 Standard Wrenches, 7 Metric Wrenches, 12 Point 2.94 EA 445-8 9-43075 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 Socket Set, | २०० २०० | Socket, Standard, 3/8" Drive, 5/16", 6 Point | 2.70 | EA | 445-91 |
| 9-43002 Socket, Standard, 3/8" Drive, 7/16", 6 Point 2.78 EA 445-9 9-43003 Socket, Standard, 3/8" Drive, 1/2", 6 Point 2.82 EA 445-9 9-43004 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.88 EA 445-9 9-43006 Socket, Standard, 3/8" Drive, 1/16", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 1/16", 6 Point 2.94 EA 445-9 9-43013 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 1/4", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1/6", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 9-43027 Standard Wrenches, 7 Metric Wrenches, 12 Point 68.65 EA 445-8 9-43075 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43139 QR Teardrop Ratchet and 3" & 6" Extension Bar < | J01 ទ | Socket, Standard, 3/8" Drive, 3/8", 6 Point | 2.74 | EA | 445-91 |
| 9-43003 Socket, Standard, 3/8" Drive, 1/2", 6 Point 2.82 EA 445-9 9-43004 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.88 EA 445-9 9-43006 Socket, Standard, 3/8" Drive, 5/8", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 1/16", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43013 Socket, Standard, 3/8" Drive, 15/16", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 15/16", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 17, 6 Point 2.94 EA 445-9 9-43027 Standard Wrenches, 7 Metric Wrenches, 12 Point 68.65 EA 445-8 9-43075 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 | 002 | Socket, Standard, 3/8" Drive, 7/16", 6 Point | 2.78 | EA | 445-91 |
| 9-43004 Socket, Standard, 3/8" Drive, 9/16", 6 Point 2.88 EA 445-9 9-43005 Socket, Standard, 3/8" Drive, 5/8", 6 Point 2.94 EA 445-9 9-43006 Socket, Standard, 3/8" Drive, 11/16", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 11/16", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 15/16", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 15/16", 6 Point 2.94 EA 445-9 9-43027 Standard, 3/8" Drive, 1*, 6 Point 2.94 EA 445-9 9-43075 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43139 QR Teardrop Ratchet and 3" & 6" Extension Bar 82.87 EA 445-8 9-43076 Capacity, 5/8" & 1 3/16" Spark Plug Sockets; Includes 9 QR Teardrop Ratchet and 3" & 6" Extension Bar 82.87 | | | 2.82 | EA | 445-91 |
| 9-43005 Socket, Standard, 3/8" Drive, 5/8", 6 Point 2.94 EA 445-9 9-43006 Socket, Standard, 3/8" Drive, 11/16", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43013 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 9-43027 Standard March 1, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 9-43075 Standard Wrenches, 7 Metric Wrenches, 12 Point 68.65 EA 445-8 9-43075 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43139 QR Teardrop Ratchet and 3" & 6" Extension Bar 82.87 EA 445-8 9-43140 Orive Tools, 38 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" Extension Bar and QR Teardrop Ratchet Included, Twelve- Point Standard 280.75 EA | | | | | 445-91 |
| 9-43006 Socket, Standard, 3/8" Drive, 11/16", 6 Point 2.94 EA 445-9 9-43007 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43013 Socket, Standard, 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 15/16", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 9-43027 Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 9-43027 Standard Wrenches, 7 Metric Wrenches, 12 Point 68.65 EA 445-8 Wrench, Set, Open End, Standard, 14 Piece, 1/4" - 1 5/8" 9 43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 445-8 Socket Set, Deep, 6 & 12 Point Standard/Metric Regular & Deep with Drive Tools,38 Piece; 1/2 in Drive; Standard; Socket Set, Nerench Set; 3/8" to 1 1/4"; 9mm to 27mm Capacity; 5/8" & 13/16" Spark Plug Sockets; Includes 9-43139 QR Teardrop Ratchet and 3" & 6" Extension Bar 82.87 EA 445-8 9-43140 Point | | | | | |
| 9-43007 Socket, Standard, 3/8" Drive, 3/4", 6 Point 2.94 EA 445-9 9-43013 Socket, Standard 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 15/16", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 Wrench, Set, Ratcheting Offset Box End, Standard/Metric, 5 Standard Wrenches, 7 Metric Wrenches, 12 Point 68.65 EA 445-8 9-43075 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 Socket Set, Deep, 6 & 12 Point Standard/Metric Regular & Deep with Drive Tools,38 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to 27mm Capacity; 5/8" & 1 3/16" Spark Plug Sockets; Includes 445-8 9-43139 QR Teadrop Ratchet and 3" & 6" Extension Bar 82.87 EA 445-8 Socket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" 280.75 EA 445-8 Socket Wrench | | | | | |
| 9-43013 Socket, Standard 3/8" Drive, 7/8", 6 Point 2.94 EA 445-9 9-43020 Socket, Standard, 3/8" Drive, 15/16", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 9-43027 Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 Wrench, Set, Ratcheting Offset Box End, Standard/Metric, 5 5 5 445-8 9-43027 Standard Wrenches, 7 Metric Wrenches, 12 Point 68.65 EA 445-8 9-43075 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 Socket Set, Deep, 6 & 12 Point Standard/Metric Regular & Deep with Drive Tools,38 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to 27mm Capacity; 5/8" & 1 3/16" Spark Plug Sockets; Includes 82.87 EA 445-8 9-43139 QR Teardrop Ratchet and 3" & 6" Extension Bar 82.87 EA 445-8 Socket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" 280.75 EA 445-8 9-43140 P | | | | | |
| 9-43020 Socket, Standard, 3/8" Drive, 15/16", 6 Point 2.94 EA 445-9 9-43021 Socket, Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 9-43027 Standard Wrenches, 7 Metric Wrenches, 12 Point 68.65 EA 445-8 9-43075 Standard Wrenches, 7 Metric Wrenches, 12 Point 68.65 EA 445-8 9-43075 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 Socket Set, Deep, 6 & 12 Point Standard/Metric Regular & Deep with Drive Tools,38 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to 27mm Capacity; 5/8" & 1 3/16" Spark Plug Sockets; Includes 82.87 EA 445-8 9-43139 QR Teardrop Ratchet and 3" & 6" Extension Bar 82.87 EA 445-8 Socket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" Extension Bar and QR Teardrop Ratchet Included, Twelve- Point Standard 280.75 EA 445-8 Socket, Deep, Set, 6 & 12 Point Standard/Metric; Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" & 13/16" Spark Plug Sockets; -0.30 to .055 Slotted Bit Sockets; #1 to #3 Phillips Bit Sockets; -0.30 to .055 Slotted Bit Sockets; 445-8 9-43143 3" & 6" Extension Bar <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | |
| 9-43021 Socket, Standard, 3/8" Drive, 1", 6 Point 2.94 EA 445-9 Wrench, Set, Ratcheting Offset Box End, Standard/Metric, 5 68.65 EA 445-8 9-43027 Standard Wrenches, 7 Metric Wrenches, 12 Point 68.65 EA 445-8 9-43075 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 9-43076 Capacity, Roll Up Pouch 74.87 EA 445-8 Socket Set, Deep, 6 & 12 Point Standard/Metric Regular & Deep with Drive Tools,38 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/6" to 1 1/4"; 9mm to 27mm Capacity; 5/8" & 1 3/16" Spark Plug Sockets; Includes 82.87 EA 445-8 9-43139 QR Teardrop Ratchet and 3" & 6" Extension Bar 82.87 EA 445-8 Socket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" 82.87 EA 445-8 9-43140 Point Standard 280.75 EA 445-8 Socket, Deep, Set, 6 & 12 Point Standard/Metric Regular with Drive Tools, 60 Piece; 3/8 in Drive; Standard/Metric; Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" & 13/16" Spark Plug Sockets; T-30 to 7.50 Torx Bit Sockets; 445-8 9-43143 3" & 6" Extensi | | | | | |
| 9-43027Wrench, Set, Ratcheting Offset Box End, Standard/Metric, 5 Standard Wrenches, 7 Metric Wrenches, 12 Point68.65 EA445-89-43075Wrench Set, Open End, Standard, 14 Piece, 1/4" - 1 5/8" Capacity, Roll Up Pouch74.87 EA445-89-43076Capacity, Roll Up Pouch74.87 EA445-89-43076Capacity, Roll Up Pouch74.87 EA445-8Socket Set, Deep, 6 & 12 Point Standard/Metric Regular & Deep with Drive Tools,38 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to 27mm Capacity; 5/8" & 1 3/16" Spark Plug Sockets; Includes 9-4314082.87 EA445-89-43140Socket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" Extension Bar and QR Teardrop Ratchet Included, Twelve- 9-43140280.75 EA445-89-43143Socket, Deep, Set, 6 & 12 Point Standard/Metric Regular with Drive Tools, 60 Piece; 3/8 in Drive; Standard/Metric; Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" & 13/16" Spark Plug Sockets; 1-30 to 1-50 Torx Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; | | | | | |
| 9-43075Capacity, Roll Up Pouch74.87EA445-89-43076Wrench Set, Open End, Metric, 14 Piece, 6mm - 32mm74.87EA445-89-43076Capacity, Roll Up Pouch74.87EA445-8Socket Set, Deep, 6 & 12 Point Standard/Metric Regular & Deep with Drive Tools, 38 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to 27mm Capacity; 5/8" & 1 3/16" Spark Plug Sockets; Includes 9-4313982.87EA445-89-43139QR Teardrop Ratchet and 3" & 6" Extension Bar82.87EA445-8Socket Set with Drive Tools, 24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" Extension Bar and QR Teardrop Ratchet Included, Twelve- | 027 5 | Standard Wrenches, 7 Metric Wrenches, 12 Point | 68.65 | EA | 445-82 |
| 9-43076Wrench Set, Open End, Metric, 14 Piece, 6mm - 32mm Capacity, Roll Up Pouch74.87 EA445-89-43076Socket Set, Deep, 6 & 12 Point Standard/Metric Regular & Deep with Drive Tools,38 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to 27mm Capacity; 5/8" & 1 3/16" Spark Plug Sockets; Includes QR Teardrop Ratchet and 3" & 6" Extension Bar82.87 EA445-89-43139QR Teardrop Ratchet and 3" & 6" Extension Bar82.87 EA445-8Socket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" Extension Bar and QR Teardrop Ratchet Included, Twelve- Point Standard280.75 EA445-89-43140Point Standard280.75 EA445-8Socket, Deep, Set, 6 & 12 Point Standard/Metric Regular with Drive Tools, 60 Piece; 3/8 in Drive; Standard/Metric; Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" & 13/16" Spark Plug Sockets; .030 to .055 Slotted Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; 103.59 EA445-8 | | | | | |
| 9-43076Capacity, Roll Up Pouch74.87 EA445-8Socket Set, Deep, 6 & 12 Point Standard/Metric Regular & Deep with Drive Tools,38 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to 27mm Capacity; 5/8" & 1 3/16" Spark Plug Sockets; Includes QR Teardrop Ratchet and 3" & 6" Extension Bar82.87 EA445-89-43139QR Teardrop Ratchet and 3" & 6" Extension Bar82.87 EA445-8Socket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" Extension Bar and QR Teardrop Ratchet Included, Twelve- Point Standard280.75 EA445-89-43140Point Standard280.75 EA445-8Socket, Deep, Set, 6 & 12 Point Standard/Metric Regular with Drive Tools, 60 Piece; 3/8 in Drive; Standard/Metric; Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" & 13/16" Spark Plug Sockets; .030 to .055 Slotted Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; 3" & 6" Extension Bar103.59 EA445-8 | | | 74.87 | EA | 445-82 |
| Socket Set, Deep, 6 & 12 Point Standard/Metric Regular & Deep with Drive Tools,38 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to 27mm Capacity; 5/8" & 1 3/16" Spark Plug Sockets; Includes QR Teardrop Ratchet and 3" & 6" Extension Bar82.87 EA445-89-43139QR Teardrop Ratchet and 3" & 6" Extension Bar82.87 EA445-8Socket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" Extension Bar and QR Teardrop Ratchet Included, Twelve- Point Standard280.75 EA445-89-43140Point Standard Socket, Deep, Set, 6 & 12 Point Standard/Metric Regular with Drive Tools, 60 Piece; 3/8 in Drive; Standard/Metric; Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" & 13/16" Spark Plug Sockets; .030 to .055 Slotted Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; 3" & 6" Extension Bar103.59 EA445-8 | ١ | Wrench Set, Open End, Metric, 14 Piece, 6mm - 32mm | | | |
| Deep with Drive Tools,38 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to 27mm Capacity; 5/8" & 1 3/16" Spark Plug Sockets; Includes9-43139QR Teardrop Ratchet and 3" & 6" Extension Bar82.87 EASocket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" Extension Bar and QR Teardrop Ratchet Included, Twelve- Point Standard280.75 EA9-43140Point Standard280.75 EASocket, Deep, Set, 6 & 12 Point Standard/Metric Regular with Drive Tools, 60 Piece; 3/8 in Drive; Standard/Metric; Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" & 13/16" Spark Plug Sockets; 1.30 to 7.50 Torx Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; 3" & 6" Extension Bar103.59 EA | 076 (| Capacity, Roll Up Pouch | 74.87 | EA | 445-82 |
| Socket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" Extension Bar and QR Teardrop Ratchet Included, Twelve- Point Standard280.75 EA445-89-43140Point Standard280.75 EA445-8Socket, Deep, Set, 6 & 12 Point Standard/Metric Regular with Drive Tools, 60 Piece; 3/8 in Drive; Standard/Metric; Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" & 13/16" Spark Plug Sockets; .030 to .055 Slotted Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; 3" & 6" Extension Bar103.59 EA445-8 | [S | Deep with Drive Tools,38 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to | | | |
| Socket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" Extension Bar and QR Teardrop Ratchet Included, Twelve- Point Standard280.75 EA445-89-43140Point Standard280.75 EA445-8Socket, Deep, Set, 6 & 12 Point Standard/Metric Regular with Drive Tools, 60 Piece; 3/8 in Drive; Standard/Metric; Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" & 13/16" Spark Plug Sockets; .030 to .055 Slotted Bit Sockets; | 139 (| QR Teardrop Ratchet and 3" & 6" Extension Bar | 82.87 | EA | 445-82 |
| Socket, Deep, Set, 6 & 12 Point Standard/Metric Regular with Drive Tools, 60 Piece; 3/8 in Drive; Standard/Metric; Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" & 13/16" Spark Plug Sockets; .030 to .055 Slotted Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; 3" & 6" Extension Bar103.59 EA445-8 | S E | Socket Set with Drive Tools,24 Piece; 3/4 in Drive; Standard; Socket Wrench Set; 7/8" to 2 1/4" Capacity; 5" to 16" Extension Bar and QR Teardrop Ratchet Included, Twelve- | | | |
| with Drive Tools, 60 Piece; 3/8 in Drive; Standard/Metric; Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" & 13/16" Spark Plug Sockets; .030 to .055 Slotted Bit Sockets; #1 to #3 Phillips Bit Sockets; T-30 to T-50 Torx Bit Sockets; 9-43143 3" & 6" Extension Bar 103.59 EA 445-8 | | | 280.75 | EA | 445-82 |
| 9-43143 3" & 6" Extension Bar 103.59 EA 445-8 | v S 1 | with Drive Tools, 60 Piece; 3/8 in Drive; Standard/Metric; Socket Wrench Set; 5/16" to 7/8"; 6mm to 20mm; 5/8" & 13/16" Spark Plug Sockets; .030 to .055 Slotted Bit Sockets; | | | |
| | | | 103.59 | EA | 445-82 |
| | | | 100.09 | -// | 1 10 02 |
| Regular 1/4 in; 3/8 in; 1/2 in Drive; Standard/Metric; Regular | | | | | |
| | | | 102 50 | FΔ | 445-82 |
| | | | | | 445-82 |
| | | | | | 445-82 445-91 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|--|-------------------|-----|-------------------|
| | Pry Bar, Set, 5 Piece, 1/4"x8", 3/8"x12", 3/8"x17", 1/2"x25" | | | |
| 9-43279 | and 1/2"x31", Cellulose Acetate Screwdriver Grips | 59.42 | FΔ | 445-38 |
| 5-43215 | | 59.42 | | 445-50 |
| 9-43282 | Extension Bar, Set, 3/8" Drive, 1 1/2", 3", 6" and 10" Lengths | 19.61 | EA | 445-82 |
| | Extension Bar, Set, 3 Piece, 1/2" Drive, 3", 6" and 10" | | | |
| 9-43283 | Lengths | 20.71 | EA | 445-82 |
| 9-43301 | Socket, Deep, Standard, 3/8" Drive, 3/8", 12 Point | 3.75 | | 445-91 |
| 9-43311 | Socket, Deep, Standard, 3/8" Drive, 7/16", 12 Point | 3.75 | EA | 445-91 |
| 9-43312 | Socket, Deep, Standard, 3/8" Drive, 1/2", 12 Point | 3.75 | EA | 445-91 |
| 9-43313 | Socket, Deep, Standard, 3/8" Drive, 9/16", 12 Point | 3.91 | EA | 445-91 |
| 9-43317 | Socket, Deep, Standard, 3/8" Drive, 3/4", 12 Point | 4.40 | EA | 445-91 |
| 9-43324 | Socket, Spark Plug, 3/8" Drive, 5/8", 6 Point | 3.91 | EA | 445-91 |
| 9-43325 | Socket, Spark Plug, 3/8" Drive, 13/16", 6 Point | 3.91 | EA | 445-91 |
| 9-43328 | Socket, Deep, Standard, 3/8" Drive, 15/16", 6 Point | 4.90 | EA | 445-91 |
| 9-43329 | Socket, Deep, Standard, 3/8" Drive, 1", 6 Point | 4.90 | | 445-91 |
| 9-43331 | Socket, Deep, Standard, 3/8" Drive, 7/16", 6 Point | 3.75 | | 445-91 |
| 9-43332 | Socket, Deep, Standard, 3/8" Drive, 1/2", 6 Point | 3.75 | | 445-91 |
| 9-43333 | Socket, Deep, Standard, 3/8" Drive, 3/8", 6 Point | 3.75 | EA | 445-91 |
| 9-43334 | Socket, Deep, Standard, 3/8" Drive, 9/16", 6 Point | 3.91 | | 445-91 |
| 9-43335 | Socket, Deep, Standard, 3/8" Drive, 5/8", 6 Point | 3.91 | | 445-91 |
| 9-43336 | Socket, Deep, Standard, 3/8" Drive, 11/16", 6 Point | 3.91 | EA | 445-91 |
| 9-43337 | Socket, Deep, Standard, 3/8" Drive, 3/4", 6 Point | 4.40 | EA | 445-91 |
| 9-43339 | Socket, Deep, Standard, 3/8" Drive, 7/8", 6 Point | 4.40 | EA | 445-91 |
| 9-43340 | Socket, Spark Plug, 3/8" Drive, 3/4", 6 Point | 3.91 | EA | 445-91 |
| | Extension Bar, Set, Locking, 3 Piece, 1/4" Drives, 3", 6" and | | | |
| 9-43345 | 10" Lengths | 20.71 | | 445-82 |
| 9-43351 | Driver, Plastic Handle, 1/4" Drive, 4 1/2" Long | 4.06 | EA | 445-06 |
| | Extension Bar, Set, Locking, 3 Piece, 3/8" Drive, 3", 6" and | | | |
| 9-43355 | 10" Lengths, Plastic Pouch | 20.71 | EA | 445-82 |
| | Wrench, Ratcheting, Offset Box End, Standard, 1/2" | | | |
| 9-43363 | x 9/16", 12 Point | 8.33 | EA | 445-82 |
| | Wrench Set, Ratcheting Box End, Offset, Metric, 5 Piece, | | | |
| 9-43376 | 7mm - 21mm | 39.22 | | 445-82 |
| 9-43393 | Driver, Plastic Handle, 1/4" Drive, 6" Long | 5.64 | EA | 445-06 |
| | Locking Extension Set,1/4" Drive; 4 Piece; 1 1/2"; 3" & 6" | | | |
| 9-43394 | Extension Bar; w/Spinner Handle | 20.71 | EA | 445-82 |
| | Ratchet Repair Kit,1/4 in Drive Size; Use With 9-44807, 9- | | | |
| 9-43424 | 44812 | 6.38 | EA | 445-91 |
| | Ratchet Repair Kit,3/8 in Drive Size; Use With 9-44808, 9- | | | |
| a 40404 | 44811, 9-44813, 9-44815, 9-44833, 9-44834, 9-44835, 9- | 40.04 | | 445.04 |
| 9-43434 | 44836 | 10.21 | EA | 445-91 |
| | Ratchet Repair Kit, 1/2 in Drive Size; Use With 9-44809, 9- | 40.04 | | 445.04 |
| 9-43444 | 44814, 9-44816, 9-44838 | 12.84 | | 445-91 |
| 9-43480 | Socket, Standard, 1/4" Drive, 9/16", 6 Point | 1.96 | | 445-91 |
| 9-43491 | Socket, Standard, 1/4" Drive, 3/16", 6 Point | 1.96 | | 445-91 |
| 9-43493 | Socket, Standard, 1/4" Drive, 1/4", 6 Point | 1.96 | | 445-91 |
| 9-43494 | Socket, Standard, 1/4" Drive, 9/32", 6 Point | 1.96 | | 445-91 445-91 |
| 9-43495 | Socket, Standard, 1/4" Drive, 5/16", 6 Point | 1.96 | | 445-91 |
| 9-43496 | Socket, Standard, 1/4" Drive, 11/32", 6 Point | 1.96 | | 445-91 |
| 9-43497 | Socket, Standard, 1/4" Drive, 3/8", 6 Point | 1.96 | | 445-91 |
| 9-43498 | Socket, Standard, 1/4" Drive, 7/16", 6 Point | 1.96 | | 445-91 |
| 9-43499 | Socket, Standard, 1/4" Drive, 1/26", 6 Point | 1.96 | | 445-91 |
| 9-43502 | Socket, Metric, 1/4" Drive, 6mm, 6 Point | 1.96 | | 445-91 |
| 9-43508 | Socket, Metric, 1/4" Drive, 10mm, 6 Point | 1.96 | сA | 445-91 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|--|-------------------|-----|-------------------|
| 9-43509 | Socket, Metric, 1/4" Drive, 11mm, 6 Point | 1.96 | EA | 445-91 |
| 9-43511 | Socket, Metric, 1/4" Drive, 5.5mm, 6 Point | 1.96 | EA | 445-91 |
| 9-43512 | Socket, Metric, 1/4" Drive, 14mm, 6 Point | 1.96 | EA | 445-91 |
| 9-43513 | Socket, Metric, 1/4" Drive, 12mm, 6 Point | 1.96 | EA | 445-91 |
| 9-43514 | Socket, Metric, 1/4" Drive, 13mm, 6 Point | 1.96 | EA | 445-91 |
| 9-43516 | Socket, Metric, 3/8" Drive, 6mm, 6 Point | 2.78 | EA | 445-91 |
| 9-43522 | Extension Bar, 1/2" Drive, 2" Length | 4.90 | EA | 445-91 |
| 9-43523 | Breaker Bar, Flex, T-Handle, 1/4" Drive, 5 1/2" long | 8.82 | EA | 445-91 |
| 9-43532 | Extension Bar, 1/4" Drive, 14" Long | 7.21 | | 445-91 |
| 9-43533 | Socket, Metric, 3/8" Drive, 7mm, 6 Point | 2.78 | | 445-91 |
| 9-43536 | Socket, Metric, 3/8" Drive, 8mm, 6 Point | 2.78 | | 445-91 |
| 9-43537 | Extension Bar, 3/8" Drive, 1 1/2" Length | 3.10 | | 445-91 |
| 9-43538 | Extension Bar, 1/4" Drive, 1 1/2" Length | 2.94 | | 445-91 |
| 9-43539 | Extension Bar, 1/4" Drive, 3" Long | 3.91 | | 445-91 |
| 9-43541 | Socket, Metric, 3/8" Drive, 9mm, 6 Point | 2.82 | | 445-91 |
| 9-43542 | Socket, Metric, 3/8" Drive, 10mm, 6 Point | 2.84 | | 445-91 |
| 9-43543 | Socket, Metric, 3/8" Drive, 11mm, 6 Point | 2.86 | | 445-91 |
| 9-43544 | Socket, Metric, 3/8" Drive, 12mm, 6 Point | 2.88 | | 445-91 |
| 9-43545 | Socket, Metric, 3/8" Drive, 13mm, 6 Point | 2.88 | | 445-91 |
| 9-43546 | Socket, Metric, 3/8" Drive, 14mm, 6 Point | 2.00 | | 445-91 |
| 9-43548 | Socket, Metric, 3/8" Drive, 17mm, 6 Point | 2.90 | | 445-91 |
| 9-43548 | Socket, Metric 3/8" Drive, 17mm, 6 Point | 2.94 | | 445-91 |
| | | | | |
| 9-43570 | Socket, Metric, 3/8" Drive, 16mm, 6 Point | 2.90 | | 445-91 |
| 9-43573 | Socket, Deep, Standard, 1/4" Drive, 1/4", 6 Point | 2.94 | | 445-91 |
| 9-43575 | Socket, Deep, Standard, 1/4" Drive, 5/16", 6 Point | 2.94 | | 445-91 |
| 9-43576 | Socket, Deep, Standard, 1/4" Drive, 11/32", 6 Point | 2.94 | | 445-91 |
| 9-43577 | Socket, Deep, Standard, 1/4" Drive, 3/8", 6 Point | 2.94 | | 445-91 |
| 9-43578 | Socket, Deep, Standard, 1/4" Drive, 7/16", 6 Point | 2.94 | | 445-91 |
| 9-43579 | Socket, Metric, 3/8" Drive, 18mm, 6 Point | 2.94 | | 445-91 |
| 9-43580 | Socket, Metric, 3/8" Drive, 20mm, 6 Point | 2.94 | | 445-91 |
| 9-43587 | Socket, Deep, Standard, 1/4" Drive, 9/16", 6 Point | 2.94 | | 445-91 |
| 9-43589 | Socket, Deep, Standard, 1/4" Drive, 1/2", 6 Point | 2.94 | | 445-91 |
| 9-43601 | Socket, Deep, Standard, 1/4" Drive, 1/4", 12 Point | 1.96 | | 445-91 |
| 9-43603 | Socket, Deep, Standard, 1/4" Drive, 5/16", 12 Point | 1.96 | | 445-91 |
| 9-43610 | Socket, Deep, Standard, 1/4" Drive, 9/16", 12 Point | 1.96 | EA | 445-91 |
| | Wrench, Box End, Standard, 1/2" x 9/16", 12 Point, 5 1/2" | | | |
| 9-43864 | Long | 6.70 | | 445-91 |
| 9-43922 | Wrench, Box End, Standard, 3/8" x 7/16", 12 Point | 6.88 | EA | 445-91 |
| 9-43923 | Wrench, Box End, Standard, 1/2" x 9/16", 12 Point | 7.36 | EA | 445-91 |
| | Wrench, Set, Professional, Adjustable, 3 Piece, 6", 8" and 10" | | | |
| 9-44015 | Lengths, Cushion Grip | 38.48 | EA | 445-82 |
| 9-44024 | Carrying Case, Molded, For Torque Wrench 9-44595 | 7.84 | EA | 445-91 |
| 9-44025 | Carrying Case, Molded, For Torque Wrench 9-44597 | 7.84 | EA | 445-91 |
| 9-44026 | Carrying Case, Molded, For Torque Wrench 9-44593 | 7.84 | | 445-91 |
| | Carrying Case, Molded, For Torque Wrench 9-44594 and 9- | | | |
| 9-44027 | 44596 | 7.84 | EA | 445-91 |
| 9-44048 | Wrench, Set, Combination, Standard/Metric, 43 Piece, 18 Standard: 1/4"-1 5/16", 25 Metric: 6mm-32mm, 12 Point | 187.17 | EA | 445-82 |
| 9-44049 | Wrench, Set, Combination, 32 Piece, 16 Standard, 1/4" through 1 1/8", 16 Metric, 7mm through, 24mm, 12 Point | 84.22 | EA | 445-82 |
| 9-44053 | Socket, Standard, 1/2" Drive, 3/8", 6 Point | 3.52 | | 445-91 |
| 9-44055 | Socket, Standard, 1/2" Drive, 1/2", 6 Point | 3.52 | | 445-91 |
| 9-44056 | Socket, Standard, 1/2" Drive, 9/16", 6 Point | 3.52 | | 445-91 |
| | Socket, Standard, 1/2" Drive, 5/8", 6 Point | | EA | 445-91 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|--|-------------------|-----|-------------------|
| 9-44059 | Socket, Standard, 1/2" Drive, 3/4", 6 Point | 3.91 | EA | 445-91 |
| 9-44063 | Socket, Standard, 1/2" Drive, 13/16", 6 Point | 3.91 | EA | 445-91 |
| 9-44064 | Socket, Standard, 1/2" Drive, 7/8", 6 Point | 3.91 | EA | 445-91 |
| 9-44065 | Socket, Standard, 1/2" Drive, 15/16", 6 Point | 4.40 | EA | 445-91 |
| 9-44066 | Socket, Standard, 1/2" Drive, 1", 6 Point | 4.40 | EA | 445-91 |
| 9-44067 | Socket, Standard, 1/2" Drive, 1 1/16", 6 Point | 5.39 | EA | 445-91 |
| 9-44068 | Socket, Standard, 1/2" Drive, 1 1/8", 6 Point | 5.39 | EA | 445-91 |
| 9-44069 | Socket, Standard, 1/2" Drive, 1 1/4", 6 Point | 5.39 | EA | 445-91 |
| 9-44095 | Wrench, Set,Open End/Socket End, 7 Piece, 3/8" through 3/4" | 58.84 | EA | 445-82 |
| 9-44098 | Wrench, Set, Combination, 28 Piece, 14 Standard, 1/4" through 1", 14 Metric, 6mm through 19mm, 6 Point | 84.22 | | 445-82 |
| 9-44101 | Wrench, Set, Professional, 7 Piece, Stubby, Combination, Metric, 10mm through 18mm, 12 Point, Full Polish, Display Rack | 40.40 | | 445-82 |
| 9-44105 | Wrench, Professional, Stubby, Combination, Standard, 1/2", 12 Point, Full Polish | 7.15 | | 445-91 |
| 9-44131 | Extension Bar, 1/2" Drive, 6" Length | 6.76 | | 445-91 |
| 9-44133 | Extension Bar, 1/2" Drive, 3" Length | 5.24 | | 445-91 |
| 9-44134 | Extension Bar, 1/2" Drive, 20" Length | 14.81 | | 445-91 |
| 9-44138 | Wrench, Set, Professional, Combination, Stubby, Standard, 11Piece, 3/8" through 1", 12 Point, Full Polish, Display Rack Wrench, Set, Professional, Combination, Stubby, Metric, 11 | 62.53 | | 445-82 |
| 9-44139 | Piece, 10mm through 22mm, 12 Point, Full Polish, Display Rack | 62.53 | EA | 445-82 |
| 9-44151 | Slide Bar Handle, 1/2" Drive, 15" Long, Can be Used as a "T" or "L" Handle | 12.74 | | 445-91 |
| 9-44161 | Speeder Wrench, 1/2" Drive, 18" Long | 17.11 | EA | 445-91 |
| 9-44166 | Wrench, Professional, Adjustable, 6" Length, 15/16" Capacity, Cushion Grip | 11.61 | EA | 445-91 |
| 9-44168 | Wrench, Professional, Adjustable, 10" Length, 1 1/4" Capacity, Cushion Grip Wrench, Professional, Adjustable, 12" Length, 1 1/2" | 15.44 | EA | 445-91 |
| 9-44169 | Capacity, Cushion Grip | 22.15 | FΔ | 445-91 |
| 9-44170 | Wrench, Flare Nut, Metric, 16mm x 18mm | 14.71 | | 445-91 |
| 9-44171 | Wrench, Flare Nut, Standard, 1/2" x 9/16" | 9.73 | | 445-91 |
| 9-44201 | Breaker Bar, Flex T-Handle, 1/2" Drive, 15" Length | 19.60 | | 445-91 |
| 9-44210 | Extension Bar, 1/2" Drive, 6" Length, Industrial Finish | 6.41 | | 445-91 |
| 9-44211 | Extension Bar, 1/2" Drive, 10" Length, Black Industrial Finish | 7.95 | | 445-91 |
| 9-44222 | Socket, Standard, 1/2" Drive, 1/2", 8 Point | 4.12 | | 445-91 |
| 9-44226 | Socket, Standard, 1/2" Drive, 3/4", 8 Point | 3.91 | | 445-91 |
| 9-44228 | Socket, Metric, 1/2" Drive, 18mm, 6 Point | 3.91 | | 445-91 |
| 9-44230 | Socket, Metric, 1/2" Drive, 29mm, 12 Point | 6.86 | | 445-91 |
| 9-44234 | Socket, Metric, 1/2" Drive, 13mm, 12 Point | 3.64 | | 445-91 |
| 9-44236 | Socket, Metric, 1/2" Drive, 15mm, 12 Point | 3.64 | | 445-91 |
| 9-44237 | Socket, Metric, 1/2" Drive, 17mm, 12 Point | 3.91 | | 445-91 |
| 9-44238 | Socket, Metric, 1/2" Drive, 19mm, 12 Point | 4.40 | | 445-91 |
| 9-44239 | Socket, Metric, 1/2" Drive, 22mm, 12 Point | 4.37 | | 445-91 |
| 9-44240 | Socket, Metric, 1/2" Drive, 23mm, 12 Point | 4.79 | | 445-91 |
| 9-44241 | Socket, Spark Plug, 1/2" Drive, 13/16", 6 Point | 3.91 | | 445-91 |
| 9-44242 | Socket, Metric, 1/2" Drive, 24mm, 12 Point | 4.91 | | 445-91 |
| 9-44243 | Socket, Metric, 1/2" Drive, 27mm, 12 Point | 5.80 | | 445-91 |
| 9-44244 | Socket, Metric, 1/2" Drive, 30mm, 12 Point | 6.86 | ΕA | 445-91 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|---|-------------------|-----|-------------------|
| 9-44245 | Socket, Metric, 1/2" Drive, 32mm, 12 Point | 6.86 | | 445-91 |
| 9-44248 | Socket, Metric, 1/2" Drive, 36mm, 12 Point | 6.86 | | 445-91 |
| 9-44249 | Socket, Metric, 1/2" Drive, 21mm, 12 Point | 4.40 | | 445-91 |
| 9-44255 | Socket, Metric, 1/2" Drive, 13mm, 6 Point | 3.64 | EA | 445-91 |
| 9-44258 | Socket, Metric, 1/2" Drive, 17mm, 6 Point | 3.91 | EA | 445-91 |
| 9-44259 | Socket, Metric, 1/2" Drive, 19mm, 6 Point | 3.97 | EA | 445-91 |
| 9-44261 | Extension Bar, 3/8" Drive, 6" Length | 5.96 | EA | 445-91 |
| 9-44262 | Extension Bar, 3/8" Drive, 10" Length | 6.19 | EA | 445-91 |
| 9-44263 | Extension Bar, 3/8" Drive, 20" Length | 8.98 | EA | 445-91 |
| 9-44265 | Socket, Metric, 1/2" Drive, 22mm, 6 Point | 4.49 | EA | 445-91 |
| 9-44266 | Socket, Metric, 1/2" Drive, 16mm, 12 Point | 3.91 | EA | 445-91 |
| 9-44268 | Socket, Metric, 1/2" Drive, 20mm, 12 Point | 4.40 | EA | 445-91 |
| 9-44269 | Socket, Metric, 1/2" Drive, 25mm, 12 Point | 5.28 | EA | 445-91 |
| 9-44271 | Speeder Wrench, 3/8" Drive, 16" Long | 10.91 | EA | 445-91 |
| 9-44276 | Socket, Metric, 1/2" Drive, 28mm, 12 Point | 6.43 | EA | 445-91 |
| 9-44294 | Socket, Metric, 3/8" Drive, 6mm, 12 Point | 2.78 | EA | 445-91 |
| 9-44296 | Socket, Metric, 3/8" Drive, 8mm, 12 Point | 2.78 | EA | 445-91 |
| 9-44302 | Socket, Metric, 3/8" Drive, 10mm, 12 Point | 2.84 | EA | 445-91 |
| 9-44304 | Socket, Metric, 3/8" Drive, 13mm, 12 Point | 2.90 | EA | 445-91 |
| 9-44306 | Socket, Metric, 3/8" Drive, 15mm, 12 Point | 2.90 | EA | 445-91 |
| 9-44307 | Socket, Metric, 3/8" Drive, 17mm, 12 Point | 2.94 | EA | 445-91 |
| | Wrench, Professional, Deep Offset, Standard, 3/8" x 7/16", | | | |
| 9-44316 | 12 Point, Full Polish | 8.11 | EA | 445-91 |
| | Wrench, Professional, Deep Offset, Standard, 1/2" x 9/16", | | | |
| 9-44317 | 12 Point, Full Polish | 9.12 | EA | 445-91 |
| | Wrench, Professional, Deep Offset, Standard, 3/4" x 7/8", 12 | | | |
| 9-44319 | Point, Full Polish | 11.29 | EA | 445-91 |
| 9-44329 | Socket, Standard, 3/8" Drive, 5/16", 12 Point | 2.70 | | 445-91 |
| 9-44331 | Socket, Standard, 3/8" Drive, 3/8", 12 Point | 2.74 | | 445-91 |
| 9-44332 | Socket, Standard, 3/8" Drive, 7/16", 12 Point | 2.78 | | 445-91 |
| 9-44333 | Socket, Standard, 3/8" Drive, 1/2", 12 Point | 2.82 | | 445-91 |
| 9-44334 | Socket, Standard, 3/8" Drive, 9/16", 12 Point | 2.88 | | 445-91 |
| 9-44335 | Socket, Standard, 3/8" Drive, 5/8", 12 Point | 2.90 | | 445-91 |
| 9-44336 | Socket, Standard, 3/8" Drive, 11/16", 12 Point | 2.94 | | 445-91 |
| 9-44337 | Socket, Standard, 3/8" Drive, 3/4", 12 Point | 2.94 | | 445-91 |
| 9-44338 | Socket, Standard, 3/8" Drive, 13/16", 12 Point | 2.94 | | 445-91 |
| 9-44343 | Socket, Standard, 3/8" Drive, 3/8", 8 Point | 2.94 | | 445-91 |
| 9-44345 | Socket, Standard, 3/8" Drive, 1/2", 8 Point | 2.94 | | 445-91 |
| 9-44346 | Extension Bar, Locking, 1/4" Drive, 3" Length | 5.66 | | 445-91 |
| 9-44348 | Extension Bar, Locking, 1/4" Drive, 10" Length | 9.44 | | 445-91 |
| 9-44352 | Socket, Standard, 3/8" Drive, 15/16", 12 Point | 2.94 | | 445-91 |
| 9-44353 | Socket, Standard, 3/8" Drive, 1", 12 Point | 2.94 | | 445-91 |
| 9-44356 | Extension Bar, Locking, 3/8" Drive, 3" Length | 4.35 | | 445-91 |
| 9-44357 | Extension Bar, Locking, 3/8" Drive, 6" Long | 8.36 | | 445-91 |
| 9-44358 | Extension Bar, Locking, 3/8" Drive, 10" Length | 10.78 | | 445-91 |
| 9-44363 | Breaker Bar, Flex T-Handle, 3/8" Drive, 10" Long | 10.94 | | 445-91 |
| 9-44383 | Wrench, Combination, Standard, 3/8", 6 Point | 5.88 | | 445-91 |
| 9-44384 | Wrench, Combination, Standard, 3/6 , 61 ont | 6.18 | | 445-91 |
| 9-44385 | Wrench, Combination, Standard, 7/10, 01 oint | 6.43 | | 445-91 |
| 9-44386 | Wrench, Combination, Standard, 1/2, 01 ont | 7.29 | | 445-91 |
| 9-44387 | Wrench, Combination, Standard, 5/8" 6 Point | 8.08 | | 445-91 |
| 9-44388 | Wrench, Combination, Standard, 3/8 '6 Point Wrench, Combination, Standard, 11/16", 6 Point | 8.82 | | 445-91 |
| 9-44389 | Wrench, Combination, Standard, 1770, 0 Point Wrench, Combination, Standard, 3/4", 6 Point | 9.61 | | 445-91 |
| | | | | |
| 9-44389 | Wrench, Combination, Standard, 13/16", 6 Point | 11.27 | | 445-91 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|--|-------------------|------------|-------------------|
| 9-44392 | Wrench, Combination, Standard, 15/16", 6 Point | 13.65 | EA | 445-91 |
| 9-44407 | Socket, Deep, Metric, 1/4" Drive, 10mm, 6 Point | 2.94 | EA | 445-91 |
| 9-44408 | Socket, Deep, Metric, 1/4" Drive, 11mm, 6 Point | 2.94 | EA | 445-91 |
| 9-44409 | Socket, Deep, Metric, 1/4" Drive, 12mm, 6 Point | 2.94 | EA | 445-91 |
| 9-44411 | Socket, Deep, Metric, 1/4" Drive, 13mm, 6 Point | 2.94 | EA | 445-91 |
| 9-44415 | Socket, Deep, Metric, 3/8" Drive, 11mm, 12 Point | 3.83 | | 445-91 |
| 9-44422 | Socket, Deep, Metric, 3/8" Drive, 17mm, 12 Point | 4.03 | | 445-91 |
| 9-44426 | Socket, Deep, Metric, 3/8" Drive, 10mm, 6 Point | 3.83 | | 445-91 |
| 9-44427 | Socket, Deep, Metric, 3/8" Drive, 11mm, 6 Point | 3.83 | | 445-91 |
| 9-44429 | Socket, Deep, Metric, 3/8" Drive, 13mm, 6 Point | 3.83 | | 445-91 |
| 9-44432 | Socket, Deep, Metric, 3/8" Drive, 15mm, 6 Point | 4.03 | | 445-91 |
| 9-44433 | Socket, Deep, Metric, 3/8" Drive, 16mm, 6 Point | 4.03 | | 445-91 |
| 9-44434 | Socket, Deep, Metric, 3/8" Drive, 17mm, 6 Point | 4.03 | | 445-91 |
| 9-44435 | Socket, Deep, Metric, 3/8" Drive, 18mm, 6 Point | 4.33 | | 445-91 |
| 9-44436 | Socket, Deep, Metric, 3/8" Drive, 19mm, 6 Point | 4.61 | | 445-91 |
| 9-44453 | Wrench, Set, Tappet, Standard, 5 Piece, Includes 3/8"x7/16", 7/16"x17/32", 1/2"x9/16", 5/8"x11/16", 3/4"x7/8" | 24.05 | | 445-82 |
| 9-44462 | Socket, Deep, Metric, 1/2" Drive, 20mm, 12 Point | 6.86 | | 445-91 |
| 9-44472 | Wrench, Tappet, Standard, 1/2" x 9/16" | 7.48 | | 445-91 |
| 9-44502 | Wrench, Open End, Metric, 6mm x 8mm | 3.86 | | 445-91 |
| 9-44503 | Wrench, Open End, Metric, 7mm x 9mm | 4.09 | | 445-91 |
| 9-44504 | Wrench, Open End, Metric, 10mm x 11mm | 4.09 | | 445-91 |
| | | 5.13 | | |
| 9-44511 | Socket, Drag Link, 1/2" Drive, 9/16" | | | 445-91 |
| 9-44512 | Socket, Drag Link, 1/2" Drive, 3/4" | 5.13 | | 445-91 |
| 9-44513 | Socket, Drag Link, 1/2" Drive, 15/16" | 5.22 | | 445-91 |
| 9-44519 | Wrench, Open End, Metric, 30mm x 32mm | 20.59 | EA | 445-91 |
| 9-44565 | Wrench, Set, Flare Nut, 4 Piece, 3/8"x7/16", 1/2"x9/16", 5/8"x11/16", 3/4"x7/8" | 21.96 | EA | 445-82 |
| 9-44572 | Wrench, Open End, Standard, 3/8" x 7/16" | 4.48 | EA | 445-91 |
| 9-44579 | Wrench, Open End, Standard, 1/2" x 9/16" | 4.76 | | 445-91 |
| 9-44585 | Wrench, Open End, Standard, 15/16" x 1" | 14.25 | | 445-91 |
| 9-44586 | Wrench, Open End, 1 1/16" x 1 1/8" | 15.45 | | 445-91 |
| 9-44587 | Wrench, Open End, Standard, 1 1/4" x 1 5/16" | 25.49 | | 445-91 |
| | Torque Wrench, Microtork®, 3/8" Drive, Measures 25-250 in. | 20.10 | 273 | |
| 9-44593 | lbs., 1 in.lbs. Increments, Twist Ring Lock/Unlock | 73.55 | FΔ | 445-91 |
| 3-44030 | Torque Wrench, Microtork®, 3/8" Drive, Measures 10-75 | 75.55 | LA | 440-91 |
| 9-44594 | ft.lbs., 0.5 ft.lbs. Increments, Twist Ring Lock/Unlock | 73.55 | | 445-91 |
| 9-44094 | Torque Wrench, Microtork®, 1/2" Drive, Measures 20-150 | 73.55 | LA | 445-91 |
| 0 44505 | | 70 55 | F A | 145.01 |
| 9-44595 | ft.lbs., 1 ft.lbs. Increments, Twist Ring Lock/Unlock | 73.55 | EA | 445-91 |
| 0 44507 | Torque Wrench, Digitork®, 1/2" Drive, Measures: 25-250 | 407.00 | | 445.04 |
| 9-44597 | ft.lbs. in 2.0 ft.lbs. Increments | 107.88 | | 445-91 |
| 9-44603 | Wrench, Adjustable, 1 1/8" Capacity, 8" Length | 11.38 | | 445-91 |
| 9-44604 | Wrench, Adjustable, 10" Length, 1 1/4" Capacity | 14.49 | | 445-91 |
| 9-44605 | Wrench, Adjustable, 1 1/2" Capacity, 12" Length | 20.92 | | 445-91 |
| 9-44606 | Wrench, Adjustable, 18" Length, 2 1/16" Capacity | 60.63 | | 445-91 |
| 9-44608 | Wrench, Adjustable, 24" Length, 2 1/2" Capacity | 98.07 | | 445-91 |
| 9-44664 | Wrench, Set, Adjustable, 3 Piece, 6", 8" and 10" Lengths | 28.85 | | 445-82 |
| 9-44691 | Wrench, Combination, 5/16", 12 Point | 4.90 | | 445-91 |
| 9-44692 | Wrench, Combination, Standard, 11/32", 12 Point | 5.39 | | 445-91 |
| 9-44694 | Wrench, Combination, Standard, 7/16", 12 Point | 6.18 | EA | 445-91 |
| 9-44695 | Wrench, Combination, Standard, 1/2", 12 Point | 6.43 | EA | 445-91 |
| 9-44697 | Wrench, Combination, Standard, 5/8", 12 Point | 8.08 | | 445-91 |
| 9-44698 | Wrench, Combination, Standard, 11/16", 12 Point | 8.82 | | 445-91 |
| 9-44699 | Wrench, Combination, Standard, 1/4", 12 Point | 4.40 | | 445-91 |

| Dent Manufacture | Desident Description | Net Unit | | Commodity |
|------------------|--|----------|------------|-----------|
| Part Number | Product Description | Price | UOM | Code |
| 9-44701 | Wrench, Combination, Standard, 3/4", 12 Point | 9.61 | | 445-91 |
| 9-44702 | Wrench, Combination, Standard, 13/16, 12 Point | 11.27 | | 445-91 |
| 9-44703 | Wrench, Combination, Standard, 7/8", 12 Point | 11.76 | | 445-91 |
| 9-44705 | Wrench, Combination, Standard, 1", 12 Point | 15.69 | | 445-91 |
| 9-44706 | Wrench, Combination, Standard, 1 1/16", 12 Point | 18.63 | | 445-91 |
| 9-44707 | Wrench, Combination, Standard, 1 1/8", 12 Point | 21.57 | | 445-91 |
| 9-44708 | Wrench, Combination, Standard, 1 1/4", 12 Point | 24.51 | | 445-91 |
| 9-44709 | Wrench, Combination, 1 5/16", 12 Point | 26.47 | EA | 445-91 |
| | Wrench, Professional, Adjustable Beak Jaw, 15/16" Capacity, | | | |
| 9-44713 | 6" Length | 20.92 | EA | 445-91 |
| 9-44714 | Wrench, Professional, Beak Jaw, 8" Length, 1 1/8" Capacity | 24.55 | EA | 445-91 |
| | Wrench, Professional, Beak Jaw, Adjustable, 10" Length, 1 | | | |
| 9-44715 | 1/4" Capacity | 30.01 | EA | 445-91 |
| | Wrench, Set, Ignition, Open End, Standard, 8 Piece, | | | |
| 9-44778 | Includes: 7/32" through 7/16" | 13.46 | EA | 445-82 |
| | Ratchet Set, Professional, Quick Release, Teardrop, 1/4" | | | |
| 9-44803 | Drive, 3/8" Drive, 1/2" Drive, Full Polish | 57.72 | EA | 445-82 |
| 9-44807 | Ratchet, Teardrop, Quick Release, 1/4" Drive, 5 1/4" Long | 12.53 | EA | 445-91 |
| 9-44808 | Ratchet, Quick Release, Teardrop, 3/8" Drive, 7 3/4" Length | 17.65 | EA | 445-91 |
| | | | | |
| 9-44809 | Ratchet, Quick Release, Teardrop, 1/2" Drive, 10 3/8" Long | 22.55 | EA | 445-91 |
| 9-44814 | Ratchet, Professional, Quick Release Teardrop, 1/2" Drive, 10 3/8" Long, Full Polish | 29.67 | ΕA | 445-91 |
| 5-4014 | Ratchet, Quick Release, Flex Head, Teardrop, 3/8" Drive, 11 | 23.07 | | 4-0-01 |
| 9-44815 | 9/16" Long | 20.59 | FΔ | 445-91 |
| 3-44013 | Ratchet, Professional, Teardrop, Stubby Flex, 3/8" Drive, 5 | 20.33 | | 445-51 |
| 0 44024 | | 00 FF | F A | 445.04 |
| 9-44834 | 5/8" Long Ratchet, Teardrop, Quick Release, 3/8" Drive, 6 3/4" Long, | 22.55 | EA | 445-91 |
| 0.44007 | . | 45.05 | F A | 445.04 |
| 9-44837 | Industrial Finish | 15.95 | | 445-91 |
| 9-45075 | Pliers, Diagonal-Cutting, 6" Length, Black Vinyl Grip | 15.84 | | 445-52 |
| 9-45077 | Pliers, Diagonal-Cutting, 5" Length, Black Vinyl Grips | 13.86 | EA | 445-52 |
| 9-45084 | Plier, Bent, Wide Jaw, Diagonal Cutting, 7", Black Vinyl Grips | 18.81 | FΔ | 445-52 |
| 9-45087 | Pliers, Duckbill, 8", Black Vinyl Grip | 17.82 | | 445-52 |
| 9-43007 | | 17.02 | | 445-52 |
| 9-45093 | Pliers, Linesman, 7", 1.35" Jaw Capacity, Black Vinyl Grip | 18.31 | | 445-52 |
| 9-43093 | Pliers, Linesman, 8 1/2", 1 1/2" Jaw Capacity, Black Vinyl Gip | 10.51 | | 445-52 |
| 0 45004 | | 00.70 | F A | 445 50 |
| 9-45094 | Handles | 20.79 | | 445-52 |
| 9-45102 | Pliers, Long-Nose, 6 1/2" Length, Black Vinyl Grip | 15.84 | EA | 445-52 |
| 0 45400 | Diara Lang Nasa 9" Langth Side Cuttor Black Vinul Crine | 10.00 | F A | 14E EQ |
| 9-45103 | Pliers, Long Nose, 8" Length, Side Cutter, Black Vinyl Grips Plier, Bent Nose, 6", Black Vinyl Grip | 16.83 | | 445-52 |
| 9-45104 | | 17.82 | | 445-52 |
| 9-45164 | Mechanics Stethoscope, 9 1/4" Long Probe | 15.66 | | 445-35 |
| 9-45233 | Plier, Set, Slip Joint, 3 Piece, 6 3/4", 8" and 10" Lengths | 19.80 | EА | 445-82 |
| | Plier, Set, 4 Piece, 7" Diagonal, 6 3/4" Slip Joint, 8" Long | | | |
| 9-45235 | Nose and 9 1/2" Tongue & Groove | 29.70 | EA | 445-82 |
| | Plier, Set, Tongue & Groove, 3 Piece, 7", 9 1/2" and 13" | | | |
| 9-45293 | Lengths | 39.61 | EA | 445-82 |
| | Autolock Plier Set,2 Pieces; 7" Straight; 9" Curved; AutoLock | | | |
| 9-45308 | Plier Set | 29.70 | EA | 445-52 |
| | Plier, Professional, Auto-Lock®, Curved Jaw, 9" Length, | _ | Ì | |
| 9-45309 | Locks Up to 1 1/2", Padded Handle | 19.80 | EA | 445-52 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|----------------------|--|-------------------|------------|-------------------|
| | Pliers, Fence Tool, Heavy Duty, 2 Staple Grips in Nose, Black | | | |
| 9-45325 | Vinyl Handles | 20.79 | EA | 445-52 |
| 9-45326 | Nipper, End-Cutting, Black Vinyl Grip | 15.84 | | 445-52 |
| | | | | |
| | Plier Set, Professional, 6 Piece, 6 3/4" Slip Joint, 6" Diagonal, | | | |
| | 8" Long Nose, 9" Linesman, 10 1/2" Tongue & Groove, 8" | | | |
| 9-45360 | Bent Wide Jaw, Double Walled Textured Comfort Grips | 99.04 | EA | 445-82 |
| | Pliers, Slip Joint, 6 3/4", 2 Jaw Positions, 3/16" Jaw Capacity, | | | |
| 9-45378 | Wire Cutting Slot, Black Vinyl Grips | 9.40 | EA | 445-52 |
| | Pliers, Slip Joint, 8", 2 Jaw Positions, 1" Jaw Capacity, Wire | | | |
| 9-45379 | Cutting Slot, Black Vinyl Grips | 11.88 | EA | 445-52 |
| | Pliers, Tongue & Groove, 9 1/2", 5 Jaw Positions, 1 1/2" Jaw | | | |
| 9-45381 | Capacity, Black Vinyl Grips | 15.34 | EA | 445-52 |
| | Plier, Tongue & Groove, 16 1/2", 11 Jaw Positions, 4" Jaw | | | |
| 9-45384 | Capacity, Black Vinyl Grips | 44.56 | EA | 445-52 |
| | Pliers, Tongue & Groove, 7", 3 Position Jaw, 7/8" Jaw | | | |
| 9-45385 | Capacity, Black Vinyl Grips | 13.86 | EA | 445-52 |
| | Pliers, Tonque & Groove, 13", 7 Jaw Positions, 2 1/2" Jaw | | | |
| 9-45386 | Capacity, Black Vinyl Grips | 24.76 | EA | 445-52 |
| | | | | |
| | Plier, Set, 6 Piece, 9 1/2" Tongue & Groove, 6 3/4" Slip Joint, | | | |
| 9-45408 | 8" Linesman, 6" Diagonal, 8" Duckbill, 6" Long Nose | 59.42 | | 445-82 |
| 9-45410 | Plier, Set, Tonque & Groove, 2 Piece, 7" and 9 1/2" | 19.80 | EA | 445-82 |
| | Plier, Set, 2 Piece, 6 3/4" Slip Joint and 9 1/2" Tongue & | | | |
| 9-45415 | Groove | 19.80 | EA | 445-82 |
| 9-45439 | Plier, Set, Large Tongue & Groove, 3 Piece, 9 1/2", 13", 16" | 59.42 | | 445-82 |
| 9-40409 | Plier, Professional, Long Neck Duckbill, 11" Length, Double | 59.42 | LA | 440-02 |
| 9-45487 | Walled Textured Comfort Grips | 29.70 | | 445-52 |
| 3-43407 | Plier, Professional, Long Neck Bent Nose, 11" Length, | 29.70 | | 445-52 |
| 9-45499 | Double Walled Textured Comfort Grips | 29.70 | | 445-52 |
| 9-45570 | Strap Wrench, Set, 2 Piece, 4" and 6 3/8" Diameter | 12.50 | | 445-82 |
| 9-45660 | Pliers, Mini, Diagonal, 4 1/2" Length, Plastic Handle | 9.90 | | 445-52 |
| | | | | |
| 9-45661 | Pliers, Mini, Needle Nose, 4 1/2" Length, Plastic Handle Pliers, Mini, Diagonal Wide Jaw, 4 1/2" Length, Plastic | 9.90 | EA | 445-52 |
| 9-45663 | Handle | 9.90 | | 445-52 |
| 9-40000 | | 9.90 | LA | 440-02 |
| 9-45665 | Pliers, Mini, Bent Needle Nose, 4 1/2" Length, Plastic Handle | 9.90 | | 445-52 |
| 9-45667 | Pliers, Mini, End Nipper, 4 1/2" Length, Plastic Handle | 9.90 | | 445-52 |
| 9-43007 | Plier, Set, Mini, 3 Piece, Long Nose Cutting, Needle Nose | 9.90 | | 445-52 |
| 9-45673 | and Diagonal | 19.80 | | 445-82 |
| 9-45075 | Plier, Set, Professional, Locking, 6 Piece, 5" Curved Jaw, 7" | 19.00 | LA | 440-02 |
| | Curved Jaw, 10" Curved Jaw, 7" Straight Jaw, 10" Straight | | | |
| 9-45706 | Jaw, 6" Long Nose | 59.42 | FΔ | 445-82 |
| 9-45710 | Pliers, Professional, Locking, Curved Jaw, 7", with Cutter | 13.86 | | 445-52 |
| 9-45711 | Pliers, Professional, Locking, Straight Jaw, 7" | 13.86 | | 445-52 |
| <u>5-4</u> 57 | Plier, Set, Professional, Locking, Straight Jaw, 7 Plier, Set, Professional, Locking, 2 Piece, 7" Straight Jaw, 10" | 13.00 | | - |
| 9-45712 | Curved Jaw | 26.73 | FΔ | 445-82 |
| 5- 1 5/12 | Plier, Set, Professional, Locking, 10" Straight Jaw, 7" Curved | 20.73 | | |
| 9-15713 | Jaw, 6" Long Nose | 36.64 | ΕA | 115-82 |
| 9-45713 9-45714 | Pliers, Professional, Locking, Curved Jaw, 10", Cutter | <u> </u> | | 445-82 445-52 |
| | Pliers, Professional, Locking, Curved Jaw, 10, Cutter Pliers, Professional, Locking, Straight Jaw, 10" | | | |
| 9-45715 | | 14.85 | EA | 445-52 |
| 0 45717 | Plier, Professional, Curved Jaw Locking, 5" Length, With | 40.07 | E A | 145 50 |
| 9-45717 | Cutter | 12.87 | EA | 445-52 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|---|-------------------|------------|-------------------|
| | Screwdriver, Precision, 4-in-1, 2 Double Ended Blades, | | | |
| 9-45734 | Includes 1/8" and 5/64" Slotted, #000 and #0 Phillips | 7.42 | EA | 445-82 |
| | Plier, Professional, Tongue & Groove, 9 1/2" Length, Double | | | |
| 9-45761 | Wall Textured Cushion Grips | 18.49 | EA | 445-52 |
| 9-45762 | Pliers, Professional, Diagonal Cutting, 6" | 17.46 | EA | 445-52 |
| | Pliers, Professional, Long Nose, 8", Double Walled Textured | | | |
| 9-45763 | Comfort Grips | 19.52 | EA | 445-52 |
| | Plier, Professional, Linesman, 9", Double Walled Textured | | | |
| 9-45764 | Comfort Grips | 23.56 | EA | 445-59 |
| | Pliers, Professional, Tongue & Groove, 10 1/2", 2 1/4" Jaw | | | |
| 9-45766 | Capacity, Jaw Guards, Double Wall Textured Cushion Grip | 19.66 | FA | 445-52 |
| 0 10100 | Pliers, Professional, Wide Jaw Diagonal, 8", Double Wall | 10.00 | 273 | 110 02 |
| 9-45767 | Textured Comfort Grips | 20.46 | FΔ | 445-52 |
| 9-45787 | Mallet, Rubber, 16oz, Hickory Handle | 9.90 | | 445-38 |
| 5-45707 | Wrench, Professional, Combination, Standard, 1 1/16", 12 | 5.50 | | 4-0-00 |
| 9-45950 | Point, Full Polish | 22.06 | FΔ | 445-91 |
| 3-40000 | Wrench, Professional, Combination, Standard, 1 1/8", 12 | 22.00 | | 4-0-01 |
| 9-45951 | Point, Full Polish | 25.49 | EA | 445-91 |
| | Wrench, Professional, Combination, Standard, 1 1/4", 12 | | | |
| 9-45952 | Point, Full Polish | 28.92 | EA | 445-91 |
| 0 10002 | Wrench, Professional, Combination, Standard, 1 5/16", 12 | 20.02 | -/ (| |
| 9-45953 | Point, Full Polish | 33.38 | FA | 445-91 |
| 0 40000 | Wrench, Professional, Combination, 1 1/2", 12 Point, Full | 00.00 | | 440 01 |
| 9-45954 | Polish | 39.22 | FΔ | 445-91 |
| 5-45554 | Wrench, Professional, Combination, Metric, 21mm, 12 Point, | 39.22 | LA | 445-91 |
| 9-45955 | Full Polish | 14.78 | FΔ | 445-91 |
| 9-40900 | Wrench, Professional, Combination, 22mm, 12 Point, Full | 14.70 | | 440-91 |
| 9-45956 | Polish | 15.66 | FΔ | 445-91 |
| 3-43330 | Wrench, Professional, Combination, Metric, 24mm, 12 Point, | 13.00 | | 445-51 |
| 9-45958 | Full Polish | 18.16 | | 445-91 |
| 9-40900 | Wrench, Combination, Professional, Metric, 30mm, 12 Point, | 10.10 | LA | 445-91 |
| 9-45960 | Full Polish | 27.05 | | 445-91 |
| 9-45960 | Wrench, Set, Professional, Combination, Long Pattern, | 27.05 | EA | 445-91 |
| | • | | | |
| 0 45005 | Standard, 5 Piece, 1 1/16" through 1 1/2", 12 Point, Full Polish, Display Rack | 404.00 | F A | 445 00 |
| 9-45965 | | 121.66 | EA | 445-82 |
| 0 45000 | Wrench Set, Professional, Standard, 18 Piece, 1/4" - 1 1/2", | 007.00 | F A | 445.00 |
| 9-45968 | 12 Point, Full Polish Wrench Set, Professional, Metric, 18 Piece, 7mm - 30mm, 12 | 207.20 | EA | 445-82 |
| 0.45000 | | 007.00 | | 445.00 |
| 9-45969 | Point, Full Polish | 207.20 | EA | 445-82 |
| 0 45070 | Wrench, Professional, Combination, Standard, 1/4", 12 Point, | 0.04 | | 445.04 |
| 9-45973 | Full Polish | 6.31 | EA | 445-91 |
| | Wrench, Combination, Professional, 3/8", 12 Point, Full | | | |
| 9-45975 | Polish | 6.78 | EA | 445-91 |
| | Wrench, Professional, Combination, Standard, 7/16", 12 | | | |
| 9-45976 | Point, Full Polish | 7.12 | EA | 445-91 |
| | Wrench, Professional, Combination, Standard, 1/2", 12 Point, | | L | |
| 9-45977 | Full Polish | 7.40 | ĒΑ | 445-91 |
| | Wrench, Professional, Combination, Standard, 9/16", 12 | | | |
| 9-45978 | Point, Full Polish | 8.39 | EA | 445-91 |
| | Wrench, Professional, Combination, Standard, 11/16", 12 | | | |
| 9-45980 | Point, Full Polish | 10.15 | EA | 445-91 |
| | Wrench, Professional, Combination, 3/4", 12 Point, Full | | | |
| 9-45981 | Polish | 11.06 | EA | 445-91 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|---|-------------------|-----|-------------------|
| 9-45984 | Wrench, Professional, Combination, Standard, 15/16", 12 Point, Full Polish | 15.70 | FA | 445-91 |
| 9-45987 | Wrench, Professional, Combination, Metric, 8mm, 12 Point, Full Polish | 6.60 | | 445-91 |
| 9-45988 | Wrench, Professional, Combination, Metric, 9mm, 12 Point, Full Polish | 7.13 | | 445-91 |
| 9-45989 | Wrench, Professional, Combination, Metric, 10mm, 12 Point, Full Polish | 7.28 | EA | 445-91 |
| 9-45991 | Wrench, Professional, Combination, Metric, 12mm, 12 Point, Full Polish | 7.78 | EA | 445-91 |
| 9-45992 | Wrench, Professional, Combination, Metric, 13mm, Full Polish | 8.15 | EA | 445-91 |
| 9-45997 | Wrench, Professional, Combination, 18mm, 12 Point, Full Polish | 11.11 | EA | 445-91 |
| 9-45998 | Wrench, Professional, Combination, Metric, 19mm, 12 Point, Full Polish | 11.62 | EA | 445-91 |
| 9-46278 | Hex Key Set, T-Handle, 8 Piece, Metric, 2mm - 10mm, Cushion Grip | 26.15 | EA | 445-82 |
| 9-46288 | Hex Key Set, T-Handle, 18 Piece, Standard/Metric, Cushion Grip | 48.10 | EA | 445-82 |
| 9-46300 | Socket Set, 6 & 12 Point Standard/Metric Regular & Deep with Drive Tools, 60 Piece; 1/2 in Drive; Standard/Metric; Socket Wrench Set; 3/8" to 1 1/4"; 9mm to 30mm; 5/8" & 13/16" Spark Plug Sockets; 3" to 10" Extension Bar, QR Teardrop Ratchet, and Universal Joint Included | 149.73 | FA | 445-82 |
| 9-46378 | Mechanics Tool Set, 88 Pieces, Standard | 145.03 | | 445-82 |
| 9-46542 | Hex Key, T Handle, 1/8", Cushion Grip | 2.97 | | 445-91 |
| 9-46543 | Hex Key, T Handle, 5/32", Cushion Grip | 3.98 | | 445-91 |
| 9-46544 | Hex Key, T Handle, 3/16", Cushion Grip | 3.98 | EA | 445-91 |
| 9-46552 | Hex Key, T Handle, 4mm, Cushion Grip | 3.98 | | 445-91 |
| 9-46572 | Mechanics Tool Set, 215 Piece, 128 Sockets, 19 Wrenches, 5 Drive Tools, 63 Additional Tools, Standard/Metric, | 207.20 | EA | 445-82 |
| 9-46576 | Wrench, Set, Professional, Combination, Standard, 14 Piece, 5/16" through 1 1/8", 12 Point, Full Polish, Roll Up Pouch | 121.66 | EA | 445-82 |
| 9-46577 | Wrench, Set, Professional, Combination, Metric, 14 Piece, 9mm through 25mm, 12 Point, Full Polish, Roll Up Pouch | 121.66 | EA | 445-82 |
| 9-46584 | Wrench, Combination, Standard, 1/2", 12 Point, Industrial Finish | 5.51 | EA | 445-91 |
| 9-46585 | Wrench, Combination, Standard, 9/16", 12 Point, Industrial Finish | 6.23 | EA | 445-91 |
| 9-46586 | Wrench, Combination, Standard, 5/8", 12 Point, Black Industrial Finish | 6.90 | EA | 445-91 |
| 9-46588 | Wrench, Combination, Standard, 3/4", 12 Point, Industrial Finish | 8.26 | EA | 445-91 |
| 9-46590 | Wrench, Combination, Standard, 7/8", 12 Point, Industrial Finish | 10.50 | EA | 445-91 |
| 9-46591 | Wrench, Combination, Standard, 15/16", 12 Point, Industrial Finish | 11.70 | EA | 445-91 |
| 9-46592 | Wrench, Combination, Standard, 1", 12 Point, Industrial Finish | 14.11 | EA | 445-91 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|---|-------------------|-----|-------------------|
| | Wrench, Combination, Standard, 1 1/16", 12 Point, Industrial | | | |
| 9-46593 | Finish | 16.44 | EA | 445-91 |
| | Wrench, Combination, Standard, 1 1/8", 12 Point, Industrial | | | |
| 9-46594 | Finish | 19.16 | EA | 445-91 |
| | Wrench, Combination, Standard, 1 1/4", 12 Point, Industrial | | | |
| 9-46595 | Finish | 22.55 | | 445-91 |
| 9-46661 | Hex Bit Socket, 3/8" Drive, 3/16" | 4.57 | | 445-91 |
| 9-46662 | Socket, Hex Bit, Standard, 3/8" Drive, 7/32" | 4.67 | | 445-91 |
| 9-46663 | Socket, Hex Bit, 3/8" Drive, 1/4" | 4.83 | | 445-91 |
| 9-46664 | Socket, Hex Bit, 3/8" Drive, 5/16" | 4.87 | | 445-91 |
| 9-46665 | Socket, Hex Bit, Standard, 3/8" Drive, 3/8" | 5.15 | | 445-91 |
| 9-46667 | Hex Key, Short Arm, Metric, 12mm | 4.43 | | 445-91 |
| 9-46669 | Socket, Hex Bit, 3/8" Drive, 5/32" | 4.45 | EA | 445-91 |
| 9-46677 | Hex Key Set, Short and Long Arm, Metric, 20 Piece, Includes 1.5mm - 8mm Short Arm and 1.5 - 6mm Long Arm, Pouch | 7.32 | EA | 445-82 |
| | Hex Key Set, 14 Piece, Standard, Short and Long Arm, | - | | |
| 9-46683 | Pouch | 5.22 | EA | 445-82 |
| | | | | |
| 9-46701 | Hex Key Set, Folding, 8 Blade, Standard, 5/64" through 1/4" | 8.65 | EA | 445-82 |
| 9-46702 | Hex Key Set, Folding, 8 Blade, Metric, 1.5mm through 8mm | 8.65 | FΔ | 445-82 |
| 3-40702 | Torx® Key Set, Folding, 7 Blade, T10, T15, T20, T25, T27, | 0.00 | LA | 445-02 |
| 9-46703 | T30 and T40 | 12.50 | EA | 445-82 |
| | Hex Key Set, Folding, 2 Piece, Includes 9 Blade Standard Set | | | |
| 9-46704 | and 8 Blade Metric Set | 13.46 | EA | 445-82 |
| | Hex Key Set, Folding, 3 Piece, Includes: 9 Blade Standard, 8 | | | |
| 9-46705 | Blade Metric, 7 Blade Torx® | 25.01 | EA | 445-82 |
| 9-46743 | Hex Key, Ball End, 3mm, Long Arm | 1.77 | | 445-91 |
| 9-46744 | Hex Key, Ball End, 4mm, Long Arm | 1.77 | | 445-91 |
| 9-46748 | Hex Key, Long Arm, Ball End, Metric, 6mm | 1.96 | EA | 445-91 |
| | Hex Key, Set, Long Arm, Ball End, Standard, 13 Piece, .050" | | | |
| 9-46754 | through 3/8", Plastic Case | 19.23 | EA | 445-82 |
| | Hex Key, Set, Long Arm, Ball End, Metric, 13 Piece, 1.5mm | | | |
| 9-46755 | through 10mm, Plastic Case | 19.23 | EA | 445-82 |
| | Hex Key Set, Long Arm, Ball End, Standard/Metric, 14 Piece, | | | |
| 9-46756 | Plastic Case | 20.91 | EA | 445-82 |
| 9-46758 | Hex Key, Ball End, 1/16", Long Arm | 1.77 | | 445-91 |
| 9-46764 | Hex Key, Ball End, 5/32", Long Arm | 1.77 | | 445-91 |
| 9-46765 | Hex Key, Ball End, 3/16", Long Arm | 1.77 | | 445-91 |
| 9-46767 | Hex Key, Long Arm, Ball End, 1/4" | 2.97 | | 445-91 |
| | Hex Key Set, Long Arm, Standard, 11 Piece, .050" - 3/8", | | | |
| 9-46811 | Carry Caddy | 14.43 | EA | 445-82 |
| | Hex Key Set, Long Arm, Metric, 11 Piece, 1.5mm - 8mm, | | | |
| 9-46812 | Carry Caddy | 14.43 | EA | 445-82 |
| | Hex Key Set, Short Arm, Standard, 11 Piece, .050" - 3/8", | | | |
| 9-46813 | With Caddy | 11.54 | EA | 445-82 |
| | Hex Key Set, Short Arm, Metric, 11 Piece, 1.5mm -8mm, With | | | 1 |
| 9-46814 | Caddy | 11.54 | EA | 445-82 |
| 9-46903 | Gear Puller, 7 Ton, 2 Arm, 0-8" Spread | 42.13 | | 445-29 |
| 9-46905 | Gear Puller, 5 Ton, 2 Arms, 0-6" Spread | 31.60 | | 445-29 |
| | Wrench Set, Combination, Standard, 26 Piece, 16 Wrenches | 01.00 | | |
| | 1/4" - 1 1/8", 10 Ignition Wrenches 5/32" - 7/16", 12 Point, | | | |
| 9-46935 | Blow Molded Case | 65.51 | FA | 445-82 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|--|-------------------|-------------|-------------------|
| | Wrench Set, Combinatin Standard, 26 Piece, 16 Wrenches | | | |
| | 7mm - 22mm, 10 Ignition Wrenches 4mm - 11mm, 12 Point, | | | |
| 9-46936 | Blow Molded Case | 65.51 | EA | 445-82 |
| | Wrench Set, Combination, Metric, 5 Piece, 22mm - 30mm, 12 | | | |
| 9-46940 | Point, Blow Molded Case | 60.83 | EA | 445-82 |
| | Pick Up Tool, Magnetic, Lighted, Handle extends from 7 | | | |
| 9-46946 | 3/4" to 32 3/4" Length | 15.66 | EA | 445-82 |
| | Pick Up Tool, Magnetic, MegaMag™ Magnetic Head, 15lbs | | | |
| 9-46947 | Lifting Capacity, Handle extends 8 1/4" to 30 1/4" | 13.57 | EA | 445-82 |
| | Wrench, Set, Combination, Standard, 14 Piece, 3/8" through | | | |
| 9-46970 | 1 1/4", 12 Point, Industrial Finish | 72.51 | FA | 445-82 |
| 0 10010 | Wrench, Set, Combination, Metric 15 Piece, 10mm through | 12.01 | _/ \ | 110 02 |
| 9-46971 | 24mm, 12 Point, Industrial Finish | 72.51 | FΔ | 445-82 |
| 5 4007 1 | Wrench Set, Combination, Metric, 14 Piece, 8mm - 32mm, 12 | 72.01 | | 440 02 |
| 9-47015 | Point, Roll Up Pouch | 74.87 | | 445-82 |
| 9-47015 | Wrench, Set, Combination, Standard, 18 Piece, 1/4" through | 74.07 | LA | 445-62 |
| 0 47040 | · · · · · · · · · · · · · · · · · · · | 00.07 | - ^ | 445.00 |
| 9-47018 | 1 5/16", 12 Point | 82.87 | EA | 445-82 |
| 0 47040 | Wrench, Set, Combination, Standard, 12 Piece, 1/4" through | 00.75 | | 445.00 |
| 9-47046 | 7/8", 12 Point, Display Rack | 32.75 | EA | 445-82 |
| | Wrench, Set, Combination, Metric, 12 Piece, 7mm through | | | |
| 9-47047 | 18mm, 12 Point, Display Rack | 32.75 | | 445-82 |
| 9-47110 | Screwdriver, Phillips #1, 3" Shank Length, Cushion Grip | 4.85 | EA | 445-64 |
| | Screwdriver, Slotted, 3/16" Tip, 3" Shank Length, Cushion | | | |
| 9-47113 | Grip | 4.85 | EA | 445-64 |
| | | | | |
| 9-47114 | Screwdriver, Slotted, 1/4" Tip, 4" Shank Length, Cushion Grip | 5.06 | EA | 445-64 |
| | Screwdriver, Slotted, Cushion Grip, 5/16" Tip, 6" Shank | | | |
| 9-47115 | Length | 7.42 | EA | 445-64 |
| | | | | |
| 9-47116 | Screwdriver Set, 6 Piece, 3 Slotted, 3 Phillips, Cushion Grip | 24.76 | EA | 445-82 |
| | | | | |
| 9-47170 | Screwdriver, Set, Comfort Fit, 10 Piece, 5 Slotted, 5 Phillips | 29.70 | EA | 445-82 |
| | | | | |
| 9-47184 | Screwdriver, Professional, Phillips, Size #1, 4" Shank Length | 6.92 | FA | 445-64 |
| | | 0.02 | L /\ | |
| 9-47186 | Screwdriver, Professional, Phillips, Size #2, 4" Shank Length | 10.39 | FΔ | 445-64 |
| 5-47100 | | 10.00 | | 4-5-0- |
| 9-47187 | Screwdriver, Professional, Phillips, Size# 3, 6" Shank Length | 12.69 | | 44564 |
| 9-47 107 | Sciewariver, Froiessional, Frinips, Size# 5, 6 Shark Lengin | 12.09 | | 445-04 |
| 0 47100 | Scrowdriver Professional Phillips Size #4. 8" Shank Length | 15.00 | | 115 61 |
| 9-47188 | Screwdriver, Professional, Phillips, Size #4, 8" Shank Length | 15.00 | EA | 445-64 |
| 0 47400 | Operative Destantional Obj(test 4/0" The O" Object Law of | 0.00 | F A | 445.04 |
| 9-47189 | Screwdriver, Professional, Slotted, 1/8" Tip, 3" Shank Length | 6.92 | EA | 445-64 |
| | Screwdriver, Professional, Slotted, 3/16" Tip, 6" Shank | | | |
| 9-47191 | Length | 9.23 | ΕA | 445-64 |
| | | | | |
| 9-47194 | Screwdriver, Professional, Slotted, 1/4" Tip, 4" Shank Length | 9.23 | EA | 445-64 |
| | | | | |
| 9-47195 | Screwdriver, Professional, Slotted, 1/4" Tip, 6" Shank Length | 10.39 | EA | 445-64 |
| | | | | |
| 9-47196 | Screwdriver, Professional, Slotted, 1/4" Tip, 8" Shank Length | 12.69 | EA | 445-64 |
| | Screwdriver, Professional, Slotted, 5/16" Tip, 6" Shank | | | |
| 9-47197 | Length | 12.69 | EA | 445-64 |
| | | | | |
| 9-47199 | Screwdriver, Professional, Slotted, 3/8" Tip, 8" Shank Length | 15.00 | EA | 445-64 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|--------------------|---|-------------------|------------|-------------------|
| 9-47201 | Screwdriver Set, Professional, 5 Piece, 3 Slotted, 2 Phillips | 28.89 | EA | 445-82 |
| 9-47202 | Screwdriver Set, Professional, 8 Piece, 5 Slotted, 3 Phillips | 48.17 | EA | 445-82 |
| | Screwdriver, Professional, Slotted, 3/16" Tip, 4" Shank | | | |
| 9-47204 | Length | 8.07 | EA | 445-64 |
| | Wrench, Set, Combination, Standard, 12 Piece, 1/4" through | | | |
| 9-47236 | 7/8", 6 Point | 32.75 | | 445-82 |
| 9-47365 | Disc Brake Pad Spreader | 10.52 | EA | 445-82 |
| | Retaining Ring Pliers,0.438" - 2" Internal & External; Qtr- | | | |
| 9-47383 | Turn® Retaining Ring Pliers; w/0.070" Tip | 10.70 | ΕA | 445-52 |
| | Retaining Ring Pliers,0.438" - 2" Internal & External; Qtr- | 10.00 | | |
| 9-47384 | Turn® Retaining Ring Pliers; w/0.038" Tip | 13.92 | | 445-52 |
| 9-47385 | Retaining Ring Plier Set, Qtr-Turn®, Convertible, 2 Piece | 21.42 | | 445-82 |
| 9-47387 | Retaining Ring Plier Set, Universal, 2 Piece | 21.42 | EA | 445-82 |
| 0.47000 | Retaining Ring Pliers,1/4" - 1" Internal; 1/8" - 1" External; | 04.04 | F A | 445 50 |
| 9-47396 | Small Retaining Ring Pliers Pliers, Professional, Retaining Ring, Medium, External Sizes | 24.64 | EA | 445-52 |
| 0 47207 | 1/4" through 2", Internal Sizes 3/8" through 2" | 26.78 | | 145 50 |
| 9-47397 9-47500 | Socket, Standard, 1/2" Drive, 3/8", 12 Point | 3.52 | | 445-52 445-91 |
| 9-47500 | Socket, Standard, 1/2" Drive, 7/16", 12 Point | 3.52 | | 445-91 |
| 9-47502 | Socket, Standard, 1/2" Drive, 1/2", 12 Point | 3.52 | | 445-91 |
| 9-47505 | Socket, Standard, 1/2" Drive, 5/8", 12 Point | 3.64 | | 445-91 |
| 9-47508 | Socket, Standard, 1/2" Drive, 3/4", 12 Point | 3.91 | | 445-91 |
| 9-47511 | Socket, Standard, 1/2" Drive, 13/16", 12 Point | 3.91 | | 445-91 |
| 9-47512 | Socket, Standard, 1/2" Drive, 7/8", 12 Point | 3.91 | | 445-91 |
| 9-47513 | Socket, Standard, 1/2" Drive, 15/16", 12 Point | 4.40 | | 445-91 |
| 9-47514 | Socket, Standard, 1/2" Drive, 1", 12 Point | 4.40 | | 445-91 |
| 9-47515 | Socket, Standard, 1/2" Drive, 1 1/16", 12 Point | 5.39 | | 445-91 |
| 9-47516 | Socket, Standard, 1/2" Drive, 1 1/8", 12 Point | 5.39 | | 445-91 |
| 9-47517 | Socket, Standard, 1/2" Drive, 1 1/4", 12 Point | 5.39 | | 445-91 |
| 9-47518 | Socket, Standard, 1/2" Drive, 1 1/2", 12 Point | 5.39 | | 445-91 |
| 9-47522 | Socket, Deep, Standard, 1/2" Drive, 9/16", 12 Point | 5.88 | EA | 445-91 |
| 9-47525 | Socket, Deep, Standard, 1/2" Drive, 3/4", 12 Point | 6.40 | | 445-91 |
| 9-47527 | Socket, Deep, Standard, 1/2" Drive, 13/16", 12 Point | 6.86 | EA | 445-91 |
| 9-47528 | Socket, Deep, Standard, 1/2" Drive, 7/8", 12 Point | 7.38 | EA | 445-91 |
| 9-47529 | Socket, Deep, Standard, 1/2" Drive, 15/16", 12 Point | 7.72 | | 445-91 |
| 9-47532 | Socket, Deep, Standard, 1/2" Drive, 1 1/16", 12 Point | 8.33 | EA | 445-91 |
| 9-47533 | Socket, Deep, Standard, 1/2" Drive, 1 1/8", 12 Point | 8.33 | EA | 445-91 |
| 9-47583 | Socket, Deep, Standard, 1/2" Drive, 9/16", 6 Point | 5.88 | EA | 445-91 |
| 9-47586 | Socket, Deep, Standard, 1/2" Drive, 3/4", 6 Point | 6.40 | EA | 445-91 |
| 9-47588 | Socket, Deep, Standard, 1/2" Drive, 7/8", 6 Point | 7.38 | | 445-91 |
| 9-47589 | Socket, Deep, Standard, 1/2" Drive, 15/16", 6 Point | 7.96 | | 445-91 |
| 9-47591 | Socket, Deep, Standard, 1/2" Drive, 1", 6 Point | 7.99 | | 445-91 |
| 9-47593 | Socket, Deep, Standard, 1/2" Drive, 1 1/8", 6 Point | 8.33 | | 445-91 |
| 9-47632 | Bit, Replacment, Phillips Size #3, For Tool 9-47641 | 2.00 | | 445-06 |
| 9-47635 | Bit, Replacment, Phillips Size #2, For Tool 9-47641 | 2.00 | | 445-06 |
| 9-47637 | Bit, Replacment, Slotted, 3/8", For Tool 9-47641 | 2.00 | ĒΑ | 445-06 |
| | Driver Set, Hand Impact, 5 Piece, Includes: 1/2" Square Drive | _ | L | |
| 9-47641 | Tool, Adapter, #2, #3 and #4 Phillips Bits, 3/8" slotted bit | 24.76 | | 445-82 |
| 9-47645 | Seal Puller, For Oil and Grease Seals | 7.37 | EA | 445-29 |
| | Socket Set, Master Tap, 11 Piece, Fill All Numbered and | | | |
| 0 47764 | Fractional MCTI Standard Taps through 3/4", Fits 1/8" NPT | 50.04 | - ^ | 445.00 |
| 9-47764 | Taps and Metric Taps through 18mm | 52.21 | EA | 445-82 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|---|-------------------|------------|-------------------|
| 9-47773 | Socket, Standard, 3/4" Drive, 1", 12 Point | 9.06 | EA | 445-91 |
| 9-47775 | Socket, Standard, 3/4" Drive, 1 1/8", 12 Point | 8.88 | EA | 445-91 |
| 9-47777 | Socket, Standard, 3/4" Drive, 1 1/4", 12 Point | 9.52 | EA | 445-91 |
| 9-47778 | Socket, Standard, 3/4" Drive, 1 5/16", 12 Point | 10.56 | | 445-91 |
| 9-47779 | Socket, Standard, 3/4" Drive, 1 3/8", 12 Point | 11.77 | | 445-91 |
| 9-47782 | Socket, Standard, 3/4" Drive, 1 1/2", 12 Point | 13.69 | | 445-91 |
| 9-47783 | Socket, Standard, 3/4" Drive, 1 5/8", 12 Point | 16.10 | | 445-91 |
| 9-47787 | Socket, Standard, 3/4" Drive, 1 7/8", 12 Point | 20.77 | | 445-91 |
| 9-47788 | Socket, Standard, 3/4" Drive, 2" | 23.47 | | 445-91 |
| 9-47792 | Socket, Standard, 3/4" Drive, 2 1/4", 12 Point | 29.41 | | 445-91 |
| | | | | |
| 0 47070 | Wrench, Set, Ignition, Combination, Standard/Metric, 20 | 00.05 | F A | 445.00 |
| 9-47979 | Piece, 5/32" through 7/16" and 4mm through 11mm, 12 Point | 28.85 | EA | 445-82 |
| 0 40054 | Level, LaserTrac™, Carrying Case, Laser Enhancing | 05.00 | F A | 445.00 |
| 9-48251 | Glasses, Leveling Base, Tripod, Wall Mount Base | 35.92 | EA | 445-82 |
| | Hydraulic Bottle Jack, Professional, 8 Ton, 8 7/8" - 17 5/8" | | | |
| 9-50283 | Lifting Range | 31.32 | ΕA | 445-90 |
| | Hydraulic Bottle Jack, Professional, 12 Ton Capacity, 9 | | | |
| 9-50284 | 1/2"-18 5/8" Lifting Range | 41.77 | | 445-90 |
| 9-50460 | Retaining Ring Plier Kit, Professional, 2 Piece | 42.85 | | 445-82 |
| 9-50464 | Retaining Ring Plier Kit, Qtr-Turn®, 12 Piece | 96.42 | EA | 445-82 |
| | Wrench Set, Professional, Adjustable, Beak Jaw, 3 Piece, 6", | | | |
| 9-50475 | 8" and 10" Lengths | 57.72 | EA | 445-82 |
| | Mechanic's Seat,23 3/4" High; 18 1/4" Wide; 16" Deep; High | | | |
| 9-51108 | Rise Mechanic's Seat | 73.10 | EA | 445-82 |
| 9-51148 | Creeper, Professional, 44", 2 Up, 6 Position Headrest | 156.66 | EA | 445-82 |
| 9-51651 | Wrench, Pipe, Heavy Duty, Cast Iron, 1 1/2" Capacity, 10" Length | 16.09 | EA | 445-91 |
| | | | | |
| 9-51652 | Wrench, Pipe, Heavy Duty, Cast Iron, 2" Capacity, 14" Length | 22.12 | EA | 445-91 |
| 9-51653 | Pipe Wrench, Heavy Duty Cast Iron, 18", 2 1/2" Capacity | 30.17 | EA | 445-91 |
| | Tap & Die Set, Professional, Steel, High-Speed, Metric, 58 | | | |
| 9-52001 | Piece, Molded Case | 302.88 | EA | 445-82 |
| | Tap & Drill Set, 13 Piece, Includes: Tap Wrench, 6 Machine | | | |
| 9-52068 | Screw Taps, 6 Drills, Case | 31.32 | EA | 445-82 |
| | Tap & Die Set, Master Rethreader, 40 Piece, Blow Molded | | | |
| 9-52105 | Case | 52.21 | EA | 445-82 |
| 0 02100 | Screw Extractor Set, 4 Piece, 1/4" Shank, Extracts Sizes 1/4" | 02.21 | -/ (| 110 02 |
| 9-52152 | to 1/2" | 44.89 | FA | 445-82 |
| | Damaged Nut/Bolt Remover, Bolt-Out®, 5 Piece, Blow | 09 | -// | 1 10 02 |
| 9-52160 | Molded Case | 21.42 | EA | 445-82 |
| 9-52161 | Damaged Nut/Bolt Remover Add on Set, Bolt-Out®, 5 Piece | 21.42 | EA | 445-82 |
| | Damaged Bolt/Nut Remover Set, Bolt-Out®, 13 Piece, | | Ì | |
| 9-52162 | Removes Stripped, Rusted or painted nuts/bolts | 53.57 | EA | 445-82 |
| | Damaged Bolt/Nut Remover Set, Impact Grade Bolt-Out®, 9 | | | |
| 9-52165 | Piece | 64.28 | EA | 445-82 |
| | Damaged Bolt/Nut Remover Set, Low Profile Bolt-Out®, 10 | | | |
| 9-52166 | Piece | 32.13 | EA | 445-82 |
| | Tap & Die Set, Steel, Professional, High Speed, Metric, 39 | 52.10 | | |
| 9-52305 | Piece | 156.66 | FA | 445-82 |
| 02000 | Tap & Die Set, Steel, Professional, High Speed, Standard, 39 | 100.00 | | . 10 02 |
| 0-52306 | Piece | 166 66 | ΕA | 115-82 |
| 9-52306 | | 156.66 | | 445-82 |
| 9-52353 | Tap & Die Set, Carbon Steel, 58 Piece, Standard | 156.66 | | 445-82 |
| 9-52383 | Tape & Die Set, Carbon Steel, Metric 39 Piece | 83.55 | EA | 445-82 |

| Part Number | Product Description | Net Unit Price | UOM | Commodity Code |
|-------------|--|-------------------|-------------|----------------------|
| 9-59615 | 6 Drawer Roll Away,6 Drawer Roll Away: Black | 433.62 | EA | 445-79 |
| | Drill Bit Set, Professional, Cobalt, 21 Piece, Includes: 1/16" - | | | |
| 9-64085 | 1/2" in 1/64" increments | 78.11 | EA | 445-82 |
| | Drill Bit Set, Professional, Cobalt, 29 Piece, Includes 1/16" | | | |
| 9-64086 | through 1/2" in 1/64" Increments | 130.19 | EA | 445-82 |
| | Caster Sets,2 Rigid And 2 Swivel w/Brake Caster Set; 5" | | | |
| 9-65205 | Diameter; 2" Wide; Rubber Wheels | 68.78 | EA | 445-79 |
| 9-65225 | 9 Drawer Roll Away, Red | 342.85 | | 445-79 |
| | | | | |
| 9-65247 | Tool Chest,6 Drawers; 26" W x 12" D x 15 1/4" H; Tool Chest | 151.26 | EA | 445-79 |
| | Wrench Holder, Holds 12 Craftsman® Wrenches Sizes 1/4" | | | |
| 9-65272 | through 1" or 6mm through 25mm | 5.35 | EA | 445-79 |
| | Screwdriver Holder, Holds up to 13 Craftsman® Screwdrivers | | | |
| | of Various Sizes, Not Designed for Craftsman Professional™ | | | |
| 9-65273 | Tools | 5.35 | EA | 445-79 |
| | Caster Sets, 2 Rigid And 2 Swivel w/Brake Caster Set; 5" | | | |
| 9-65276 | Diameter; 2" Wide; Plastic Wheels | 37.49 | EA | 445-79 |
| | Tool & Parts Organizer, Drawer Divider System; Organizes Up | | | |
| | To 4 Drawers; 16 "T" Connectors and Four 16 1/4" "L" | | | |
| 9-65278 | Shaped Dividers | 7.49 | EA | 445-79 |
| | Socket Organizer, 3 Trays measuring 6 1/2" Wide x 8" Deep x | | | |
| 9-65287 | 1/3" High, Holds 103 Sockets | 23.56 | EA | 445-79 |
| 9-65362 | 11 Drawer Roll Away,11 Drawer Roll Away; Red | 352.94 | | 445-79 |
| | Universal Divider System, Hold up to 19 Wrenches when | | | |
| | positioned Parallel, Enough Dividers to Organize 3 Chests for | | | |
| 9-65397 | 2 Roll-Away Drawers | 12.85 | EA | 445-82 |
| | Foam Drawer Organizer, Includes 2 22 1/4" Width x 16 1/4" | | | |
| | Deep x 1/2 Height inserts, knife, 2 adhesive Layout sheets, | | | |
| | Instructions, Enough to organize 3 standard chest drawers or | | | |
| 9-65417 | 2 standard roll-away drawers | 18.21 | EA | 445-79 |
| | Drawer Liners, Non Slip, Pre Cut Roll-Away Set, 22 1/8" Wide | | | |
| 9-65499 | x 16 3/8" Deep, 5 Sheets | 19.28 | FA | 445-79 |
| 9-65502 | Drawer Liners, Foam, Roll, 22 1/8" Width, 85 1/2" Length | 14.99 | | 445-79 |
| 3-03302 | Drawer Liners, Premium Non-Slip, Pre Cut, 5 Sheets | 11.00 | | |
| 9-65524 | measuring 22 1/8" Wide x 16 3/8" Deep | 23.56 | FA | 445-79 |
| 0 0002 1 | Chest/Cabinet Lock Set,26" Chest, Cabinet Lock Set; Keyed | 20.00 | _ /\ | |
| 9-65584 | Alike; 3 Locks and 3 Overmolded Reversible Keys | 18.21 | FΔ | 445-79 |
| 0 00004 | Chest/Cabinet Lock Set,40" Chest, Cabinet Lock Set; Keyed | 10.21 | | 44070 |
| 9-65587 | Alike; 3 Locks and 3 Overmolded Reversible Keys | 18.21 | FΔ | 445-79 |
| 5-05507 | Tool Chest,3 Drawers; 23"W x 13 3/8" D x 10 1/2" H; | 10.21 | | 440-79 |
| 9-65628 | Portable Chest; Plastic | 45.37 | FΔ | 445-82 |
| 0 00020 | | 40.07 | | 440 02 |
| 9-65660 | Roll-Away Top Mat, Extra Thick, 26 1/4" Width, 17 3/4" Depth | 14.99 | EA | 445-79 |
| | Tool Chest,12 Drawers; 26" W x 16" D x 19 3/4" H; Tool | | | |
| 9-65912 | Chest; Red | 322.68 | EA | 445-79 |
| 9-66196 | Screw Extractor Set, 10 Piece | 23.42 | | 445-82 |
| 9-66723 | C-Clamp, 3" Max Capacity, 1 3/4" Throat Depth | 5.41 | | 445-18 |
| 9-66724 | C-Clamp, 4" Max Capacity, 2" Throat Depth | 10.84 | | 445-18 |
| 9-66726 | C-Clamp, 6" Max Capacity, 2 3/4" Throat Depth | 13.01 | | 445-18 |
| 9-66728 | C-Clamp, 8" Max Capacity, 2 3/4" Throat Depth C-Clamp, 8" Max Capacity, 3 1/4" Throat Depth | 15.18 | | 445-18 |
| 3-00120 | | 10.10 | | |
| 9-68515 | Stapler, Professional, Forward Drive, Uses Brads or Staples | 31.86 | ΕA | 445-30 |
| 3-00010 | Jorapier, i Toressionar, i ormaru Drive, Oses Draus or Staples | 00.10 | | UC-0 F FT |

| Product Description | Net Unit Price | UOM | Commodity Code |
|---|--|---|--|
| | | | |
| | | | |
| | | | |
| | 20.88 | EA | 445-82 |
| | | | |
| | | | |
| | 52.21 | EA | 445-21 |
| | | | |
| | | | |
| | 69.32 | EA | 445-82 |
| Wire Cutter/Stripper, Professional, Cuts 10-18 Gauge | | | |
| Stranded or Solid Wire | 26.10 | EA | 445-21 |
| | | | |
| Riveter, Heavy Duty, Ratcheting Head, Includes Nose Pieces | | | |
| for Riveting Sizes: 3/32", 1/8", 5/32", 3/16", Rubber Grips | 19.44 | EA | 445-30 |
| Riveter, Industrial, For 1/8", 3/16" and 5/32" Aluminum Rivets, | | | |
| For 1/8" Stainless Steel Rivets | 32.41 | EA | 445-30 |
| Ratchet, Set, 3 Piece, 1/4" Drive, 3/8" Drive, 1/2" Drive | 41.43 | EA | 445-82 |
| Wire Stripper, For Copper Wire, Stips Sizes 16-26 | 9.39 | EA | 445-21 |
| | | | |
| Blade | 2.96 | EA | 445-08 |
| Putty Knife, Wide, Flex, 1 1/2" Width | | | 445-21 |
| Putty Knife, Wide, Extra Stiff, 1 1/4" Width | 6.93 | EA | 445-21 |
| | | | 445-21 |
| | | | |
| | 10.62 | EA | 445-21 |
| | | | |
| | 5.30 | EA | 445-21 |
| | | | 445-21 |
| | 0.10 | | |
| General Mechanics Tool Kit 136 Piece With Foam Tool | | | |
| | 1 548 61 | FA | 445-82 |
| | Electricians Tool, All Purpose, Strips 10-22 AWG Standard and Solid Wire, Crimps 10-22 AWG Insulated and Non Insulated Wire Connectors, Crimps 7-8mm Auto Ignition Wire Stripper/Crimper Set, Professional, 4 Piece, Coax Cable Cutter/Stripper, Dual Romex® Stripper, 10-20 AWG Stripper, 20-32 AWG Stripper, Comfort Grips Plier, Set, Professional, 4 Piece, Includes: 8" Long Nose, 9" Linesman, 8" Bent Wide, 20-32 AWG Wire Stripper, Double Walled Textured Comfort Grips Wire Cutter/Stripper, Professional, Cuts 10-18 Gauge Stranded or Solid Wire Riveter, Heavy Duty, Ratcheting Head, Includes Nose Pieces for Riveting Sizes: 3/32", 1/8", 5/32", 3/16", Rubber Grips Riveter, Industrial, For 1/8", 3/16" and 5/32" Aluminum Rivets, For 1/8" Stainless Steel Rivets Ratchet, Set, 3 Piece, 1/4" Drive, 3/8" Drive, 1/2" Drive Wire Stripper, For Copper Wire, Stips Sizes 16-26 Hacksaw Blade, 12" Length, 18 Teeth Per Inch, Replacement | Product DescriptionPriceElectricians Tool, All Purpose, Strips 10-22 AWG Standard and Solid Wire, Crimps 10-22 AWG Insulated and Non Insulated Wire Connectors, Crimps 7-8mm Auto Ignition Wire 20.8820.88Stripper/Crimper Set, Professional, 4 Piece, Coax Cable Cutter/Stripper, Dual Romex® Stripper, 10-20 AWG Stripper, 20-32 AWG Stripper, Comfort Grips52.21Plier, Set, Professional, 4 Piece, Includes: 8" Long Nose, 9" Linesman, 8" Bent Wide, 20-32 AWG Wire Stripper, Double Walled Textured Comfort Grips69.32Wire Cutter/Stripper, Professional, Cuts 10-18 Gauge Stranded or Solid Wire26.10Riveter, Heavy Duty, Ratcheting Head, Includes Nose Pieces for Riveting Sizes: 3/32", 1/8", 5/32", 3/16", Rubber Grips19.44Riveter, Industrial, For 1/8", 3/16" and 5/32" Aluminum Rivets, For 1/8" Stainless Steel Rivets32.41Ratchet, Set, 3 Piece, 1/4" Drive, 3/8" Drive, 1/2" Drive41.43Wire Stripper, For Copper Wire, Stips Sizes 16-269.39Hacksaw Blade, 12" Length, 18 Teeth Per Inch, Replacement Blade2.96Putty Knife, Wide, Flex, 1 1/2" Width4.95Putty Knife, Wide, Extra Stiff, 1 1/4" Width6.93Tape Knives, Flex, 6", Soft Ergo Handle7.91Knife, Metal Lockback, Aluminum Handle with Clip, Includes 3 Extra Blades5.30Utility Knife, 3 Position, Retractable, 5 1/2" Length, Includes 3 Extra Blades5.30Utility Knife, 3 Position, 5 1/2" Length, 3 Extra Blades3.18General Mechanics Tool Kit, 136 Piece, With Foam Tool3.18 | Product DescriptionPriceUOMElectricians Tool, All Purpose, Strips 10-22 AWG Standard and Solid Wire, Crimps 10-22 AWG Insulated and Non Insulated Wire Connectors, Crimps 7-8mm Auto Ignition Wire20.88 EAStripper/Crimper Set, Professional, 4 Piece, Coax Cable Cutter/Stripper, Dual Romex® Stripper, 10-20 AWG Stripper, 20-32 AWG Stripper, Comfort Grips52.21 EAPlier, Set, Professional, 4 Piece, Includes: 8" Long Nose, 9" Linesman, 8" Bent Wide, 20-32 AWG Wire Stripper, Double Walled Textured Comfort Grips69.32 EAWire Cutter/Stripper, Professional, Cuts 10-18 Gauge Stranded or Solid Wire26.10 EARiveter, Heavy Duty, Ratcheting Head, Includes Nose Pieces for Riveting Sizes: 3/32", 1/8", 5/32", 3/16", Rubber Grips19.44 EARiveter, Heavy Duty, Ratcheting Head, Includes Nose Pieces for Riveting Sizes: 3/32", 1/8", 5/32", 3/16", Rubber Grips19.44 EARiveter, Industrial, For 1/8", 3/16" and 5/32" Aluminum Rivets, For 1/8" Stainless Steel Rivets32.41 EARatchet, Set, 3 Piece, 1/4" Drive, 3/8" Drive, 1/2" Drive41.43 EAWire Stripper, For Copper Wire, Stips Sizes 16-269.39 EAHacksaw Blade, 12" Length, 18 Teeth Per Inch, Replacement Blade2.96 EAPutty Knife, Wide, Flex, 1 1/2" Width6.93 EATape Knives, Flex, 6", Soft Ergo Handle7.91 EAKnife, Metal Lockback, Aluminum Handle with Clip, Includes Pouch and 3 Blades0.62 EAUtility Knife, 3 Position, S 1/2" Length, 3 Extra Blades3.18 EAGeneral Mechanics Tool Kit, 136 Piece, With Foam Tool1.48 |